

COUNTY GOVERNMENT OF MOMBASA

DEPARTMENT OF TRANSPORT, INFRASTRUCTURE AND PUBLIC WORKS DIRECTORATE OF PUBLIC WORKS

BILLS OF QUANTITIES FOR THE

PROPOSED CONSTRUCTION OF CATH LAB AT COAST GENERAL REFERRAL AND TRAINING HOSPITAL

TENDER NO: CGM/PRO/T/38/2019-2020

Issued by:

Director of Public Works
Directorate of Public Works
P.O. Box 90350-80100,
Mombasa

Client:

The Chief Administrator,
Coast General Referal and Training Hospital
P.O. Box 90231-80100,
Mombasa

JANUARY, 2020



COUNTY GOVERNMENT OF MOMBASA

DEPARTMENT OF TRANSPORT, INFRASTRUCTURE AND PUBLIC WORKS DIRECTORATE OF PUBLIC WORKS

BILLS OF QUANTITIES FOR THE PROPOSED CONSTRUCTION OF CATH LAB AT COAST GENERAL REFERRAL AND TRAINING HOSPITAL

| ITEM CONTENTS | PAGE No. |
|--|------------|
| A. CONTENTS PAGE | (i) |
| B. SIGNATURE PAGE AND NOTES | (ii) |
| C. STANDARD TENDER DOCUMENTS FOR PROCUREMENT WORKS | 1-70 |
| D. GENERAL PRELIMINARIES | (GP/1 –13) |
| E. PARTICULAR PRELIMINARIES | (PP/1-7) |
| F. PREAMBLES AND PRICING NOTES | (PN/1-3) |
| G. BUILDERS WORKS | (BW/1-12) |
| H. AIR CONDITIONING WORKS | (AC/3) |
| I. MECHANICAL WORKS | (M/8) |
| J. ELECTRICAL WORKS | (EL/1-3) |
| K. PROVISIONAL SUMS | (PS) |
| I. GRAND SUMMARY | (GSUM) |



COUNTY GOVERNMENT OF MOMBASA

DEPARTMENT OF TRANSPORT, INFRASTRUCTURE AND PUBLIC WORKS DIRECTORATE OF PUBLIC WORKS

BILLS OF OUANTITIES

Supplied as part of the PROPOSED CONSTRUCTION OF CATH LAB AT COAST GENERAL REFERRAL AND TRAINING HOSPITAL

Issued by:

DIRECTOR OF PUBLIC WORKS, MOMBASA COUNTY, P. O. BOX 90350-80100, MOMBASA

| The contract for the mentioned work | ks entered into thisday of |
|---------------------------------------|---|
| 2019 by the undersign | ed parties refer to these Bills of Quantities |
| and the ministry of public works ger | neral specifications for building works dated |
| March 1976 (together with any ame | endments thereto issued since the date of |
| publication) both of which shall be r | read and construed as part of the said |
| contract. | |
| | |
| Signed | Signed |
| CONTRACTOR | The Chief Administrator, |
| | Coast General Referral And Training Hospital |
| | |
| DATE | DATE |
| | |

SPECIAL NOTES

The contractor is required to check the number of pages of these Bills of Quantities and should he find any missing or in duplicate, or figures indistinct, he must inform the Director of Public Works at once and have the same rectified.

Further, should the contractor be in doubt about precise meaning of any item or figure for any reason whatsoever, he must inform the Director of Public Works in order that the correct meaning may be decided before the date of submission of tenders. No liability will be admitted nor claim allowed in respect of the errors in the contractors tender due to mistakes in the specification that should have been rectified in the Manner described above.

SIGNATURE AND SPECIAL NOTES PAGE

(ii)

REPUBLIC OF KENYA



STANDARD TENDER DOCUMENT

FOR

PROCUREMENT OF WORKS
(BUILDING AND ASSOCIATED CIVIL ENGINEERING WORKS)

PUBLIC PROCUREMENT OVERSIGHT AUTHORITY (PPOA) P.O. BOX 30007 - 00200 NAIROBI.

(REVISED OCTOBER 2006)

TABLE OF CONTENTS

| | | PAGE |
|---------------|------------------------------------|-------|
| | INTRODUCTION | 3 |
| SECTION I: | INVITATION TO TENDER | 4-5 |
| SECTION II: | INSTRUCTIONS TO TENDERERS | 5-19 |
| SECTION III: | CONDITIONS OF CONTRACT | 20-43 |
| SECTION IV: | APPENDIX TO CONDITIONS OF CONTRACT | 44-45 |
| SECTION V: | SPECIFICATIONS | 46-47 |
| SECTION VI: | DRAWINGS | 48 |
| SECTION VII: | BILLS OF QUANTITIES | 49-50 |
| SECTION VIII: | STANDARD FORMS | 51-70 |

INTRODUCTION

- 1.1 This standard tender document for procurement of works has been prepared for use by procuring entities in Kenya in the procurement of works (i.e. Buildings and associated Civil Engineering Works).
- 1.2 The following guidelines should be observed when using the document:-
 - (a) Specific details should be furnished in the Invitation to tender and in the special conditions of contract (where applicable). The tender document issued to tenderers should not have blank spaces or options.
 - (b) The instructions to tenderers and the General Conditions of Contract should remain unchanged. Any necessary amendments to these parts should be made through Appendix to instructions to tenderers and special conditions of contract respectively.
 - (b) Information contained in the invitation to tender shall conform to the data and information in the tender documents to enable prospective tenderers to decide whether or not to participate in the tender and shall indicate any important tender requirements
 - (c) The invitation to tender shall be as an advertisement in accordance with the regulations or a letter of invitation addressed to tenderers who have been prequalified following a request for prequalification.
- 1.4 The cover of the document shall be modified to include:-
 - I. Tender number.
 - II. Tender name.

1.3

- III. Name of procuring entity.
- IV. Delete name and address of PPOA.

SECTION I

INVITATION FOR TENDERS

TENDER NO: CGM/PRO/T/38/2019-2020

Tender Name: PROPOSED CONSTRUCTION OF CATH LAB AT COAST GENERAL REFERRAL AND TRAINING HOSPITAL.

The Chief Administrator, Coast General Referral and Training Hospital invites sealed tenders for the Proposed Construction of Cath Lab at Coast General Referral and Training Hospital.

Interested eligible candidates may obtain further information and inspect tender documents at Coast General Referral and Training Hospital. during normal working hours

- 1.1 A complete set of tender documents may be obtained by interested candidates upon payment of a non-refundable fee of one thousand (Kshs 1,000) in cash or Bankers Cheque payable County Government of Mombasa
 - Prices quoted should be net inclusive of all taxes, must be in Kenya shillings and shall remain valid for (120) days from the closing date of tender
- 1.2 Only bidders who meet the following criteria, which must be demonstrated by attaching relevant documentary evidence, shall be considered for further evaluation
 - a) Must be registered with National Construction Authority in category NCA 6 and above
 - b) Must provide a bid bond of 2% of the bid price in form of bank guarantee from a reputable bank which must remain valid for 120 days from the date of opening tender
 - c) Provide details of similar works completed for the last two years, giving details of clients and consultants.
 - d) Provide financial standing (audited account and bank statements) for the last two years
 - e) Provide valid tax compliance certificate
 - f) Provide PIN and V.A.T certificates
 - g) Provide proof of registration as a company
- 1.3 Further, tender from the following tenderers shall be treated as Non-responsive and therefore subject to automatic disqualification:
 - a) A tender from a tenderer whose on-going projects is/are behind schedule and without any approved extension of time
 - b) A tender from a tenderer who has been served with default notice on ongoing project/s or terminated from a contract

1.4 Completed tender documents are to be enclosed in plain sealed envelopes marked with Tender name and reference number and deposited in the Tender Box at County Assembly Hall Ground Floor next to the main office or to be addressed to

The County Secretary, County Government of Mombasa. P.O BOX 80133-80100, Mombasa

So as to be received not later than 10.00am on or before 5th February, 2020 Tenders will be opened immediately thereafter in the presence of the candidates or their representatives who choose to attend at <u>Finance Boardroom</u>.

The County Chief Officer- Medical Services

Mombasa County

SECTION II

INSTRUCTIONS TO TENDERERS

TABLE OF CONTENTS PAGE

| CLAUSE | PA | AGE |
|--------|-------------------------------|-------|
| 1. | General | 7 |
| 2. | Tender Documents | 10-11 |
| 3. | Preparation of Tenders | 11-14 |
| 4. | Submission of Tenders | 14-15 |
| 5. | Tender Opening and Evaluation | 15-17 |
| 6. | Award of Contract | 17-19 |

INSTRUCTIONS TO TENDERERS.

- 1. General/Eligibility/Qualifications/Joint venture/Cost of tendering
 - 1.1 The Employer as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The successful tenderer will be expected to complete the Works by the Intended Completion Date specified in the tender documents.
 - 1.2 All tenderers shall provide the Qualification Information, a statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or has not been associated in the past, directly or indirectly, with the Consultant or any other entity that has prepared the design, specifications, and other documents for the project or being proposed as Project Manager for the Contract. A firm that has been engaged by the Employer to provide consulting services for the preparation or supervision of the Works, and any of its affiliates, shall not be eligible to tender.
 - 1.3 All tenderers shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including drawings and charts, as necessary.
 - 1.4 In the event that pre-qualification of potential tenderers has been undertaken, only tenders from pre-qualified tenderers will be considered for award of Contract. These qualified tenderers should submit with their tenders any information updating their original pre-qualification applications or, alternatively, confirm in their tenders that the originally submitted pre-qualification information remains essentially correct as of the date of tender submission.
 - 1.5 Where no pre-qualification of potential tenderers has been done, all tenderers shall include the following information and documents with their tenders, unless otherwise stated:
 - (a) copies of original documents defining the constitution or legal status, place of registration, and principal place of business; written power of attorney of the signatory of the tender to commit the tenderer:
 - (b) total monetary value of construction work performed for each of the last five years:
 - (c) experience in works of a similar nature and size for each of the last five years, and details of work under way or contractually committed; and names and addresses of clients who may be

- (d) contacted for further information on these contracts;
- (e) major items of construction equipment proposed to carry out the Contract and an undertaking that they will be available for the Contract.
- (f) qualifications and experience of key site management and technical personnel proposed for the Contract and an undertaking that they shall be available for the Contract.
- (g) reports on the financial standing of the tenderer, such as profit and loss statements and auditor's reports for the past five years;
- (h) evidence of adequacy of working capital for this Contract (access to line(s) of credit and availability of other financial resources);
- (i) authority to seek references from the tenderer's bankers;
- (j) information regarding any litigation, current or during the last five years, in which the tenderer is involved, the parties concerned and disputed amount; and
- (k) proposals for subcontracting components of the Works amounting to more than 10 percent of the Contract Price.
- 1.6 Tenders submitted by a joint venture of two or more firms as partners shall comply with the following requirements, unless otherwise stated:
 - (a) the tender shall include all the information listed in clause 1.5 above for each joint venture partner;
 - (b) the tender shall be signed so as to be legally binding on all partners;
 - (c) all partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms;
 - (d) one of the partners will be nominated as being in charge, authorised to incur liabilities, and receive instructions for and on behalf of all partners of the joint venture; and
 - (e) the execution of the entire Contract, including payment, shall be done exclusively with the partner in charge.
- 1.7 To qualify for award of the Contract, tenderers shall meet the following minimum qualifying criteria;

- (a) annual volume of construction work of at least 2.5 times the estimated annual cashflow for the Contract;
- (b) experience as main contractor in the construction of at least two works of a nature and complexity equivalent to the Works over the last 10 years (to comply with this requirement, works cited should be at least 70 percent complete);
- (c) proposals for the timely acquisition (own, lease, hire, etc.) of the essential equipment listed as required for the Works;
- (d) a Contract manager with at least five years' experience in works of an equivalent nature and volume, including no less than three years as Manager; and
- (e) Liquid assets and/or credit facilities, net of other contractual commitments and exclusive of any advance payments which may be made under the Contract, of no less than 4 months of the estimated payment flow under this Contract.
- 1.8 The figures for each of the partners of a joint venture shall be added together to determine the tenderer's compliance with the minimum qualifying criteria of clause 1.7 (a) and (e); however, for a joint venture to qualify, each of its partners must meet at least 25 percent of minimum criteria 1.7 (a), (b) and (e) for an individual tenderer, and the partner in charge at least 40 percent of those minimum criteria. Failure to comply with this requirement will result in rejection of the joint venture's tender. Subcontractors' experience and resources will not be taken into account in determining the tenderer's compliance with the qualifying criteria, unless otherwise stated.
- 1.9 Each tenderer shall submit only one tender, either individually or as a partner in a joint venture. A tenderer who submits or participates in more than one tender (other than as a subcontractor or in cases of alternatives that have been permitted or requested) will cause all the proposals with the tenderer's participation to be disqualified.
- 1.10 The tenderer shall bear all costs associated with the preparation and submission of his tender, and the Employer will in no case be responsible or liable for those costs.
- 1.11 The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine the Site of the Works and its surroundings, and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the tenderer's own expense.

- 1.12 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 1.13 The price to be charged for the tender document shall not exceed Kshs.5,000/=
- 1.14 The procuring entity shall allow the tenderer to review the tender document free of charge before purchase.

2. Tender Documents

- 2.1 The complete set of tender documents comprises the documents listed below and any addenda issued in accordance with Clause 2.4.
 - (a) These Instructions to Tenderers
 - (b) Form of Tender and Qualification Information
 - (c) Conditions of Contract
 - (d) Appendix to Conditions of Contract
 - (e) Specifications
 - (f) Drawings
 - (g) Bills of Quantities
 - (h) Forms of Securities
- 2.2 The tenderer shall examine all Instructions, Forms to be filled and Specifications in the tender documents. Failure to furnish all information required by the tender documents, or submission of a tender not substantially responsive to the tendering documents in every respect will be at the tenderer's risk and may result in rejection of his tender.
- 2.3 A prospective tenderer making an inquiry relating to the tender documents may notify the Employer in writing or by cable, telex or facsimile at the address indicated in the letter of invitation to tender. The Employer will only respond to requests for clarification received earlier than seven days prior to the deadline for submission of tenders. Copies of the Employer's response will be forwarded to all persons issued with tendering documents, including a description of the inquiry, but without identifying its source.
- 2.4 Before the deadline for submission of tenders, the Employer may modify the tendering documents by issuing addenda. Any addendum thus issued shall be part of the tendering documents and shall be communicated in writing or by cable, telex or facsimile to all tenderers. Prospective tenderers shall acknowledge receipt of each addendum in writing to the Employer.

2.5 To give prospective tenderers reasonable time in which to take an addendum into account in preparing their tenders, the Employer shall extend, as necessary, the deadline for submission of tenders, in accordance with Clause 4.2 here below.

3. Preparation of Tenders

- 3.1 All documents relating to the tender and any correspondence shall be in English language.
- 3.2 The tender submitted by the tenderer shall comprise the following:
 - (a) These Instructions to Tenderers, Form of Tender, Conditions of Contract, Appendix to Conditions of Contract and Specifications;
 - (b) Tender Security;
 - (c) Priced Bill of Quantities;
 - (d) Qualification Information Form and Documents;
 - (e) Alternative offers where invited; and
 - (f) Any other materials required to be completed and submitted by the tenderers.
- 3.3 The tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items for which no rate or price is entered by the tenderer will not be paid for when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities.

All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause relevant to the Contract, as of 30 days prior to the deadline for submission of tenders, shall be included in the tender price submitted by the tenderer.

3.4 The rates and prices quoted by the tenderer shall only be subject to adjustment during the performance of the Contract if provided for in the Appendix to Conditions of Contract and provisions made in the Conditions of Contract.

- 3.5 The unit rates and prices shall be in Kenya Shillings.
- 3.6 Tenders shall remain valid for a period of sixty (60) days from the date of submission. However in exceptional circumstances, the Employer may request that the tenderers extend the period of validity for a specified additional period. The request and the tenderers' responses shall be made in writing. A tenderer may refuse the request without forfeiting the Tender Security. A tenderer agreeing to the request will not be required or permitted to otherwise modify the tender, but will be required to extend the validity of Tender Security for the period of the extension, and in compliance with Clause 3.7 3.11 in all respects.
- 3.7 The tenderer shall furnish, as part of the tender, a Tender Security in the amount and form specified in the appendix to invitation to tenderers. This shall be in the amount not exceeding 2 percent of the tender price
- 3.8 The format of the Tender Security should be in accordance with the form of Tender Security included in Section G Standard forms or any other form acceptable to the Employer. Tender Security shall be valid for 30 days beyond the validity of the tender.
- 3.9 Any tender not accompanied by an acceptable Tender Security shall be rejected. The Tender Security of a joint venture must define as "Tenderer" all joint venture partners and list them in the following manner: a joint venture consisting of"......", and "......".
- 3.10 The Tender Securities of unsuccessful tenderers will be returned within 28 days of the end of the tender validity period specified in Clause 3.6.
- 3.11 The Tender Security of the successful tenderer will be discharged when the tenderer has signed the Contract Agreement and furnished the required Performance Security.
- 3.12 The Tender Security may be forfeited
 - (a) if the tenderer withdraws the tender after tender opening during the period of tender validity;

- (b) if the tenderer does not accept the correction of the tender price, pursuant to Clause 5.7;
- (c) in the case of a successful tenderer, if the tenderer fails within the specified time limit to
 - (i) sign the Agreement, or
 - (ii) furnish the required Performance Security.
- 3.13 Tenderers shall submit offers that comply with the requirements of the tendering documents, including the basic technical design as indicated in the Drawings and Specifications. Alternatives will not be considered, unless specifically allowed in the invitation to tender. If so allowed, tenderers wishing to offer technical alternatives to the requirements of the tendering documents must also submit a tender that complies with the requirements of the tendering documents, including the basic technical design as indicated in the Drawings and Specifications. In addition to submitting the basic tender, the tenderer shall provide all information necessary for a complete evaluation of the alternative, including design calculations, technical specifications, breakdown of prices, proposed construction methods and other relevant details. Only the technical alternatives, if any, of the lowest evaluated tender conforming to the basic technical requirements shall be considered.
- 3.14 The tenderer shall prepare one original of the documents comprising the tender documents as described in Clause 3.2 of these Instructions to Tenderers, bound with the volume containing the Form of Tender, and clearly marked "ORIGINAL". In addition, the tenderer shall submit copies of the tender, in the number specified in the invitation to tender, and clearly marked as "COPIES". In the event of discrepancy between them, the original shall prevail.
- 3.15 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by a person or persons duly authorised to sign on behalf of the tenderer, pursuant to Clause 1.5 (a) or 1.6 (b), as the case may be. All pages of the tender where alterations or additions have been made shall be initialled by the person or persons signing the tender.
- 3.16 Clarification of tenders shall be requested by the tenderer to be received by the procuring entity not later than 7 days prior to the deadline for submission of tenders.

- 3.17 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.
- 3.18 The tender security shall be in the amount of 0.5 2 per cent of the tender price.

4. Submission of Tenders

4.1 The tenderer shall seal the original and all copies of the tender in two inner envelopes and one outer envelope, duly marking the inner envelopes as "ORIGINAL" and "COPIES" as appropriate. The inner and outer envelopes shall:

10

- (a) be addressed to the Employer at the address provided in the invitation to tender;
- (b) bear the name and identification number of the Contract as defined in the invitation to tender; and
- (c) provide a warning not to open before the specified time and date for tender opening.
- 4.2 Tenders shall be delivered to the Employer at the address specified above not later than the time and date specified in the invitation to tender. However, the Employer may extend the deadline for submission of tenders by issuing an amendment in accordance with Sub-Clause 2.5 in which case all rights and obligations of the Employer and the tenderers previously subject to the original deadline will then be subject to the new deadline.
- 4.3 Any tender received after the deadline prescribed in clause 4.2 will be returned to the tenderer un-opened.
- 4.4 Tenderers may modify or withdraw their tenders by giving notice in writing before the deadline prescribed in clause 4.2. Each tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and delivered in accordance with clause 3.13 and 4.1, with the outer and inner envelopes additionally marked "MODIFICATION" and "WITHDRAWAL", as appropriate. No tender may be modified after the deadline for submission of tenders.
- 4.5 Withdrawal of a tender between the deadline for submission of tenders and the expiration of the period of tender validity specified in the invitation to tender or as extended pursuant to Clause 3.6 may result in the forfeiture of the Tender Security pursuant to Clause 3.11.

4.6 Tenderers may only offer discounts to, or otherwise modify the prices of their tenders by submitting tender modifications in accordance with Clause 4.4 or be included in the original tender submission.

5. Tender Opening and Evaluation

- 5.1 The tenders will be opened by the Employer, including modifications made pursuant to Clause 4.4, in the presence of the tenderers' representatives who choose to attend at the time and in the place specified in the invitation to tender. Envelopes marked "WITHDRAWAL" shall be opened and read out first. Tenderers' and Employer's representatives who are present during the opening shall sign a register evidencing their attendance.
- 5.2 The tenderers' names, the tender prices, the total amount of each tender and of any alternative tender (if alternatives have been requested or permitted), any discounts, tender modifications and withdrawals, the presence or absence of Tender Security, and such other details as may be considered appropriate, will be announced by the Employer at the opening. Minutes of the tender opening, including the information disclosed to those present will be prepared by the Employer.
- 5.3 Information relating to the examination, clarification, evaluation, and comparison of tenders and recommendations for the award of Contract shall not be disclosed to tenderers or any other persons not officially concerned with such process until the award to the successful tenderer has been announced. Any effort by a tenderer to influence the Employer's officials, processing of tenders or award decisions may result in the rejection of his tender.
- 5.4 To assist in the examination, evaluation, and comparison of tenders, the Employer at his discretion, may ask any tenderer for clarification of the tender, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, telex or facsimile but no change in the price or substance of the tender shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered in the evaluation of the tenders in accordance with Clause 5.7.
- 5.5 Prior to the detailed evaluation of tenders, the Employer will determine whether each tender (a) meets the eligibility criteria defined in Clause 1.7;(b) has been properly signed; (c) is accompanied by the required securities; and (d) is substantially responsive to the requirements of the tendering documents. A substantially responsive tender is one which conforms to all the terms, conditions and specifications of the tendering documents, without material deviation or reservation. A material deviation or reservation is one (a) which

affects in any substantial way the scope, quality, or performance of the works; (b) which limits in any substantial way, inconsistent with the tendering documents, the Employer's rights or the tenderer's obligations under the Contract; or (c) whose rectification would affect unfairly the competitive position of other tenderers presenting substantially responsive tenders.

- 5.6 If a tender is not substantially responsive, it will be rejected, and may not subsequently be made responsive by correction or withdrawal of the nonconforming deviation or reservation.
- 5.7 Tenders determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows:
 - (a) where there is a discrepancy between the amount in figures and the amount in words, the amount in words will prevail; and
 - (b) where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will prevail, unless in the opinion of the Employer, there is an obvious typographical error, in which case the adjustment will be made to the entry containing that error.
 - (c) In the event of a discrepancy between the tender amount as stated in the Form of Tender and the corrected tender figure in the main summary of the Bill of Quantities, the amount as stated in the Form of Tender shall prevail.
 - (d) The Error Correction Factor shall be computed by expressing the difference between the tender amount and the corrected tender sum as a percentage of the corrected Builder's Work (i.e. Corrected tender sum less P.C. and Provisional Sums)
 - (e) The Error Correction Factor shall be applied to all Builder's Work (as a rebate or addition as the case may be) for the purposes of valuations for Interim Certificates and valuation of variations.
 - (f) the amount stated in the tender will be adjusted in accordance with the above procedure for the correction of errors and, with concurrence of the tenderer, shall be considered as binding upon the tenderer. If the tenderer does not accept the corrected amount, the tender may be rejected and the Tender Security may be forfeited in accordance with clause 3.11.
- 5.8 The Employer will evaluate and compare only the tenders determined to be substantially responsive in accordance with Clause 5.5.

- 5.9 In evaluating the tenders, the Employer will determine for each tender the evaluated tender price by adjusting the tender price as follows:
 - (a) making any correction for errors pursuant to clause 5.7;
 - (b) Excluding provisional sums and the provision, if any, for contingencies in the Bill of Quantities, but including Dayworks where priced competitively.
 - (c) making an appropriate adjustment for any other acceptable variations, deviations, or alternative offers submitted in accordance with clause 3.12; and
 - (d) making appropriate adjustments to reflect discounts or other price modifications offered in accordance with clause 4.6
- 5.10 The Employer reserves the right to accept or reject any variation, deviation, or alternative offer. Variations, deviations, and alternative offers and other factors which are in excess of the requirements of the tender documents or otherwise result in unsolicited benefits for the Employer will not be taken into account in tender evaluation.
- 5.11 The tenderer shall not influence the Employer on any matter relating to his tender from the time of the tender opening to the time the Contract is awarded. Any effort by the Tenderer to influence the Employer or his employees in his decision on tender evaluation, tender comparison or Contract award may result in the rejection of the tender.
- 5.12 Firms incorporated in Kenya where indigenous Kenyans own 51% or more of the share capital shall be allowed a 10% preferential bias provided that they do not sub-contract work valued at more than 50% of the Contract Price excluding Provisional Sums to an non-indigenous sub-contractor.

6. Award of Contract

6.1 Subject to Clause 6.2, the award of the Contract will be made to the tenderer whose tender has been determined to be substantially responsive to the tendering documents and who has offered the lowest evaluated tender price, provided that such tenderer has been determined to be (a) eligible in accordance with the provision of Clauses 1.2, and (b) qualified in accordance with the provisions of clause 1.7 and 1.8.

- 6.2 Notwithstanding clause 6.1 above, the Employer reserves the right to accept or reject any tender, and to cancel the tendering process and reject all tenders, at any time prior to the award of Contract, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the action.
- 6.3 The tenderer whose tender has been accepted will be notified of the award prior to expiration of the tender validity period in writing or by cable, telex or facsimile. This notification (hereinafter and in all Contract documents called the "Letter of Acceptance") will state the sum (hereinafter and in all Contract documents called the "Contract Price") that the Employer will pay the Contractor in consideration of the execution, completion, and maintenance of the Works by the Contractor as prescribed by the Contract. At the same time the other tenderers shall be informed that their tenders have not been successful.

The contract shall be formed on the parties signing the contract.

- 6.4 The Agreement will incorporate all agreements between the Employer and the successful tenderer. Within 14 days of receipt the successful tenderer will sign the Agreement and return it to the Employer.
- 6.5 Within 21 days after receipt of the Letter of Acceptance, the successful tenderer shall deliver to the Employer a Performance Security in the amount stipulated in the Appendix to Conditions of Contract and in the form stipulated in the Tender documents. The Performance Security shall be in the amount and specified form
- 6.6 Failure of the successful tenderer to comply with the requirements of clause 6.5 shall constitute sufficient grounds for cancellation of the award and forfeiture of the Tender Security.
- 6.7 Upon the furnishing by the successful tenderer of the Performance Security, the Employer will promptly notify the other tenderers that their tenders have been unsuccessful.
- 6.8 Preference where allowed in the evaluation of tenders shall not be allowed for contracts not exceeding one year (12 months)
- 6.9 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.
- 6.10 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

- 6.11 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)
- 6.12 Where contract price variation is allowed, the valuation shall not exceed 15% of the original contract price.
- 6.13 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.
- 6.14 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 6.15 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.
- 6.16 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

7. Corrupt and Fraudulent practices

7.1 The procuring entity requires that tenderers observe the highest standards of ethics during procurement process and execution of contracts. A tenderer shall sign a declaration that he has not and will not be involved in corrupt and fraudulent practices.

SECTION III CONDITIONS OF CONTRACT

| | <u>Table of Contents</u> | |
|----|--|-------|
| 1 | Definitions | 22 |
| 2 | Interpretation | 23 |
| 3 | Language and Law | 25 |
| 4 | Project Manager's Decisions | 25 |
| 5 | Delegation | 25 |
| 6 | Communications | 25 |
| 7 | Sub Contracting | 25 |
| 8 | Other Contractors | 25 |
| 9 | Personnel | 25 |
| 10 | Works | 26 |
| 11 | Safety and temporary works | 26 |
| 12 | Discoveries | 26 |
| 13 | Work Programme | 26-27 |
| 14 | Possession of site | 27 |
| 15 | Access to site | 27 |
| 16 | Instructions | 27 |
| 17 | Extension or Acceleration of completion date | 27 |
| 18 | Management Meetings | 28 |
| 19 | Early Warning | 28 |
| 20 | Defects | 27-28 |
| 21 | Bills of Quantities | 29 |
| 22 | Variations | 29-30 |
| 23 | Payment certificates, currency of payments and | |
| | Advance Payments | 30 |
| 24 | Compensation events | 32-33 |
| 25 | Price Adjustment | 34 |
| 26 | Retention | 34-35 |
| 27 | Liquidated Damages | 35 |

| 28 | Securities | 36 |
|----|--|-------|
| 29 | Day Works | 26 |
| 30 | Liability and Insurance | 36 |
| 31 | Completion and taking over | 37 |
| 32 | Final Account | 38 |
| 33 | Termination | 38 |
| 34 | Payment upon termination | 39-40 |
| 35 | Release from performance | 40 |
| 36 | Corrupt gifts and payments of commission | .40 |
| 37 | Settlement of Disputes | 37-42 |

CONDITIONS OF CONTRACT

1. Definitions

- 1.1 In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated;
 - **"Bill of Quantities"** means the priced and completed Bill of Quantities forming part of the tender.
 - "Compensation Events" are those defined in Clause 24 hereunder.
 - **"The Completion Date"** means the date of completion of the Works as certified by the Project Manager, in accordance with Clause 31.
 - "The Contract" means the agreement entered into between the Employer and the Contractor as recorded in the Agreement Form and signed by the parties including all attachments and appendices thereto and all documents incorporated by reference therein to execute, complete, and maintain the Works,
 - **"The Contractor"** refers to the person or corporate body whose tender to carry out the Works has been accepted by the Employer.
 - **"The Contractor's Tender"** is the completed tendering document submitted by the Contractor to the Employer.
 - **"The Contract Price"** is the price stated in the Letter of Acceptance and thereafter as adjusted in accordance with the provisions of the Contract.
 - "Days" are calendar days; "Months" are calendar months.
 - **"A Defect"** is any part of the Works not completed in accordance with the Contract.
 - **"The Defects Liability Certificate"** is the certificate issued by Project Manager upon correction of defects by the Contractor.
 - **"The Defects Liability Period"** is the period named in the Contract Data and calculated from the Completion Date.
 - **"Drawings"** include calculations and other information provided or approved by the Project Manager for the execution of the Contract.
 - **"Dayworks"** are Work inputs subject to payment on a time basis for labour and the associated materials and plant.

- **"Employer",** or the **"Procuring entity"** as defined in the Public Procurement Regulations (i.e. Central or Local Government administration, Universities, Public Institutions and Corporations, etc) is the party who employs the Contractor to carry out the Works.
- **"Equipment"** is the Contractor's machinery and vehicles brought temporarily to the Site for the execution of the Works.
- **"The Intended Completion Date"** is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date may be revised only by the Project Manager by issuing an extension of time or an acceleration order.
- **"Materials"** are all supplies, including consumables, used by the Contractor for incorporation in the Works.
- **"Plant"** is any integral part of the Works that shall have a mechanical, electrical, chemical, or biological function.
- **"Project Manager"** is the person named in the Appendix to Conditions of Contract (or any other competent person appointed by the Employer and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract and shall be an "Architect" or a "Quantity Surveyor" registered under the Architects and Quantity Surveyors Act Cap 525 or an "Engineer" registered under Engineers Registration Act Cap 530.
- "Site" is the area defined as such in the Appendix to Condition of Contract.
- **"Site Investigation Reports"** are those reports that may be included in the tendering documents which are factual and interpretative about the surface and subsurface conditions at the Site.
- **"Specifications"** means the Specifications of the Works included in the Contract and any modification or addition made or approved by the Project Manager.
- **"Start Date"** is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with the Site possession date(s).
- **"A Subcontractor"** is a person or corporate body who has a Contract with the Contractor to carry out a part of the Work in the Contract, which includes Work on the Site.

"Temporary works" are works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.

"A Variation" is an instruction given by the Project Manager which varies the Works.

"The Works" are what the Contract requires the Contractor to construct, install, and turnover to the Employer, as defined in the Appendix to Conditions of Contract.

2. Interpretation

- 2.1 In interpreting these Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning in English Language unless specifically defined. The Project Manager will provide instructions clarifying queries about these Conditions of Contract.
- 2.2 If sectional completion is specified in the Appendix to Conditions of Contract, reference in the Conditions of Contract to the Works, the Completion Date and the Intended Completion Date apply to any section of the Works (other than references to the Intended Completion Date for the whole of the Works).
- 2.3 The following documents shall constitute the Contract documents and shall be interpreted in the following order of priority;
 - (1) Agreement,
 - (2) Letter of Acceptance,
 - (3) Contractor's Tender,
 - (4) Appendix to Conditions of Contract,
 - (5) Conditions of Contract,
 - (6) Specifications,
 - (7) Drawings,
 - (8) Bill of Quantities,
 - (9) Any other documents listed in the Appendix to Conditions of Contract as forming part of the Contract.

Immediately after the execution of the Contract, the Project Manager shall furnish both the Employer and the Contractor with two copies each of all the Contract documents. Further, as and when necessary the Project Manager shall furnish the Contractor [always with a copy to the Employer] with three [3] copies of such further drawings or details or descriptive schedules as are reasonably necessary either to explain or amplify the Contract drawings or to enable the Contractor to carry out and complete the Works in accordance with these Conditions.

3. Language and Law

3.1 Language of the Contract and the law governing the Contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

4 Project Manager's Decisions

4.1 Except where otherwise specifically stated, the Project Manager will decide contractual matters between the Employer and the Contractor in the role representing the Employer.

5 Delegation

5.1 The Project Manager may delegate any of his duties and responsibilities to others after notifying the Contractor.

6 Communications

6.1 Communication between parties shall be effective only when in writing. A notice shall be effective only when it is delivered.

7 Subcontracting

7.1 The Contractor may subcontract with the approval of the Project Manager, but may not assign the Contract without the approval of the Employer in writing. Subcontracting shall not alter the Contractor's obligations.

8 Other Contractors

- 8.1 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities etc. as listed in the Appendix to Conditions of Contract and also with the Employer, as per the directions of the Project Manager. The Contractor shall also provide facilities and services for them. The Employer may modify the said List of Other Contractors etc., and shall notify the Contractor of any
- 8.2 such modification.

9 Personnel

9.1 The Contractor shall employ the key personnel named in the Qualification Information, to carry out the functions stated in the said Information or other personnel approved by the Project Manager. The Project Manager will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are substantially equal to or better than those of the personnel listed in the Qualification Information. If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the Work in the Contract.

10 Works

10.1 The Contractor shall construct and install the Works in accordance with the Specifications and Drawings. The Works may commence on the Start Date and shall be carried out in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them by the Intended Completion Date.

11 Safety and Temporary Works

- 11.1 The Contractor shall be responsible for the design of temporary works. However before erecting the same, he shall submit his designs including specifications and drawings to the Project Manager and to any other relevant third parties for their approval. No erection of temporary works shall be done until such approvals are obtained.
- 11.2 The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary works and all drawings prepared by the Contractor for the execution of the temporary or permanent Works, shall be subject to prior approval by the Project Manager before they can be used.
- 11.3 The Contractor shall be responsible for the safety of all activities on the Site.

12. Discoveries

12.1 Anything of historical or other interest or of significant value unexpectedly discovered on Site shall be the property of the Employer. The Contractor shall notify the Project Manager of such discoveries and carry out the Project Manager's instructions for dealing with them.

13. Work Program

13.1 Within the time stated in the Appendix to Conditions of Contract, the Contractor shall submit to the Project Manager for approval a program showing the general methods, arrangements, order, and timing for all the activities in the Works. An update of the program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining Work, including any changes to the sequence of the activities.

The Contractor shall submit to the Project Manager for approval an updated program at intervals no longer than the period stated in the Appendix to Conditions of Contract. If the Contractor does not submit an updated program within this period, the Project Manager may withhold the amount stated in the said Appendix from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue program has been submitted. The Project Manager's approval of the program shall not alter the Contractor's obligations. The Contractor may revise the program and submit it to the Project Manager again at any time. A revised program shall show the effect of Variations and Compensation Events.

14. Possession of Site

14.1 The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the Appendix to Conditions of Contract, the Employer will be deemed to have delayed the start of the relevant activities, and this will be a Compensation Event.

15. Access to Site

15.1 The Contractor shall allow the Project Manager and any other person authorised by the Project Manager, access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

16. Instructions

16.1 The Contractor shall carry out all instructions of the Project Manager which are in accordance with the Contract.

17. Extension or Acceleration of Completion Date

17.1 The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a variation is issued which makes it impossible for completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining

Work, which would cause the Contractor to incur additional cost. The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager in writing for a decision upon the effect of a Compensation Event or variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay caused by such failure shall not be considered in assessing the new (extended) Completion Date.

17.2 No bonus for early completion of the Works shall be paid to the Contractor by the Employer.

18. Management Meetings

18.1 A Contract management meeting shall be held monthly and attended by the Project Manager and the Contractor. Its business shall be to review the plans for the remaining Work and to deal with matters raised in accordance with the early warning procedure. The Project Manager shall record the minutes of management meetings and provide copies of the same to those attending the meeting and the Employer. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

19. Early Warning

- 19.1 The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the Work increase the Contract Price or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.
- 19.2 The Contractor shall cooperate with the Project Manager in making and considering proposals on how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the Work and in carrying out any resulting instructions of the Project Manager.

20. Defects

20.1 The Project Manager shall inspect the Contractor's work and notify the Contractor of any defects that are found. Such inspection shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a defect and to uncover and test any Work that the Project Manager considers may have a defect. Should the defect be found, the cost of uncovering and making good shall be borne by the Contractor, However, if there is no defect found, the cost of uncovering and making good shall be treated as a variation and added to the Contract Price.

- 20.2 The Project Manager shall give notice to the Contractor of any defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the Appendix to Conditions of Contract. The Defects Liability Period shall be extended for as long as defects remain to be corrected.
- 20.3 Every time notice of a defect is given, the Contractor shall correct the notified defect within the length of time specified by the Project Manager's notice. If the Contractor has not corrected a defect within the time specified in the Project Manager's notice, the Project Manager will assess the cost of having the defect corrected by other parties and such cost shall be treated as a variation and be deducted from the Contract Price.

21. Bills Of Quantities

- 21.1 The Bills of Quantities shall contain items for the construction, installation, testing and commissioning of the Work to be done by the Contractor. The Contractor will be paid for the quantity of the Work done at the rate in the Bills of Quantities for each item.
- 21.2 If the final quantity of the Work done differs from the quantity in the Bills of Quantities for the particular item by more than 25 percent and provided the change exceeds 1 percent of the Initial Contract price, the Project Manager shall adjust the rate to allow for the change.
- 21.3 If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bills of Quantities.

22. Variations

- 22.1 All variations shall be included in updated programs produced by the Contractor.
- 22.2 The Contractor shall provide the Project Manager with a quotation for carrying out the variations when requested to do so. The Project Manager shall assess the quotation, which shall be given within seven days of the request or within any longer period as may be stated by the Project Manager and before the Variation is ordered.

- 22.3 If the work in the variation corresponds with an item description in the Bills of Quantities and if in the opinion of the Project Manager, the quantity of work is not above the limit stated in Clause 21.2 or the timing of its execution does not cause the cost per unit of quantity to change, the rate in the Bills of Quantities shall be used to calculate the value of the variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the variation does not correspond with items in the Bills of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of Work.
- 22.4 If the Contractor's quotation is unreasonable, the Project Manager may order the variation and make a change to the Contract price, which shall be based on the Project Manager's own forecast of the effects of the variation on the Contractor's costs.
- 22.5 If the Project Manager decides that the urgency of varying the Work would prevent a quotation being given and considered without delaying the Work, no quotation shall be given and the variation shall be treated as a Compensation Event.
- 22.6 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.
- 22.7 When the Program is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast.
- 23. Payment Certificates, Currency of Payments and Advance Payments
 - 23.1 The Contractor shall submit to the Project Manager monthly applications for payment giving sufficient details of the Work done and materials on Site and the amounts which the Contractor considers himself to be entitled to. The Project Manager shall check the monthly application and certify the amount to be paid to the Contractor within 14 days. The value of Work executed and payable shall be determined by the Project Manager.
 - 23.2 The value of Work executed shall comprise the value of the quantities of the items in the Bills of Quantities completed; materials delivered on Site, variations and compensation events. Such materials shall become the property of the Employer once the Employer has paid the Contractor for their value. Thereafter, they shall not be removed from Site without the Project Manager's instructions except for use upon the Works.

- 23.3 Payments shall be adjusted for deductions for retention. The Employer shall pay the Contractor the amounts certified by the Project Manager within 30 days of the date of issue of each certificate. If the Employer makes a late payment, the Contractor shall be paid simple interest on the late payment in the next payment. Interest shall be calculated on the basis of number of days delayed at a rate three percentage points above the Central Bank of Kenya's average rate for base lending prevailing as of the first day the payment becomes overdue.
- 23.4 If an amount certified is increased in a later certificate or as a result of an award by an Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.
- 23.5 Items of the Works for which no rate or price has been entered in will not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.
- 23.6 The Contract Price shall be stated in Kenya Shillings. All payments to the Contractor shall be made in Kenya Shillings and foreign currency in the proportion indicated in the tender, or agreed prior to the execution of the Contract Agreement and indicated therein. The rate of exchange for the calculation of the amount of foreign currency payment shall be the rate of exchange indicated in the Appendix to Conditions of Contract. If the Contractor indicated foreign currencies for payment other than the currencies of the countries of origin of related goods and services the Employer reserves the right to pay the equivalent at the time of payment in the currencies of the countries of such goods and services. The Employer and the Project Manager shall be notified promptly by the Contractor of an changes in the expected foreign currency requirements of the Contractor during the execution of the Works as indicated in the Schedule of Foreign Currency Requirements and the foreign and local currency portions of the balance of the Contract Price shall then be amended by agreement between Employer and the Contractor in order to reflect appropriately such changes.
- 23.7 In the event that an advance payment is granted, the following shall apply:
 - a) On signature of the Contract, the Contractor shall at his request, and without furnishing proof of expenditure, be entitled to an advance of 10% (ten percent) of the original amount of the Contract. The advance shall not be subject to retention money.

- b) No advance payment may be made before the Contractor has submitted proof of the establishment of deposit or a directly liable guarantee satisfactory to the Employer in the amount of the advance payment. The guarantee shall be in the same currency as the advance.
- c) Reimbursement of the lump sum advance shall be made by deductions from the Interim payments and where applicable from the balance owing to the Contractor. Reimbursement shall begin when the amount of the sums due under the Contract reaches 20% of the original amount of the Contract. It shall have been completed by the time 80% of this amount is reached.

The amount to be repaid by way of successive deductions shall be calculated by means of the formula:

$$R = \underline{A(x^1 - x^{11})}$$

80 - 20

Where:

R = the amount to be reimbursed

A = the amount of the advance which has been granted

X¹ = the amount of proposed cumulative payments as a percentage of the original amount of the Contract. This figure will exceed 20% but not exceed 80%.

- X¹¹ = the amount of the previous cumulative payments as a percentage of the original amount of the Contract. This figure will be below 80%but not less than 20%.
- d) with each reimbursement the counterpart of the directly liable guarantee may be reduced accordingly.

24. Compensation Events

- 24.1 The following issues shall constitute Compensation Events:
 - (a) The Employer does not give access to a part of the Site by the Site Possession Date stated in the Appendix to Conditions of Contract.
 - (b) The Employer modifies the List of Other Contractors, etc., in a way that affects the Work of the Contractor under the Contract.
 - (c) The Project Manager orders a delay or does not issue drawings, specifications or instructions required for execution of the Works on time.

- (d) The Project Manager instructs the Contractor to uncover or to carry out additional tests upon the Work, which is then found to have no defects.
- (e) The Project Manager unreasonably does not approve a subcontract to be let.
- (f) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to tenderers (including the Site investigation reports), from information available publicly and from a visual inspection of the Site.
- (g) The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Employer or additional work required for safety or other reasons.
- (h) Other contractors, public authorities, utilities, or the Employer does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.
- (i) The effects on the Contractor of any of the Employer's risks.
- (j) The Project Manager unreasonably delays issuing a Certificate of Completion.
- (k) Other compensation events described in the Contract or determined by the Project Manager shall apply.
- 24.2 If a compensation event would cause additional cost or would prevent the Work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project Manager shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.
- 24.3 As soon as information demonstrating the effect of each compensation event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Project Manager shall adjust the Contract Price based on the Project Manager's own forecast. The Project Manager will assume that the Contractor will react competently and promptly to the event.
- 24.4 The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor not having given early warning or not having co-operated with the Project Manager.

- 24.5 Prices shall be adjusted for fluctuations in the cost of inputs only if provided for in the Appendix to Conditions of Contract.
- 24.6 The Contractor shall give written notice to the Project Manager of his intention to make a claim within thirty days after the event giving rise to the claim has first arisen. The claim shall be submitted within thirty days thereafter.

Provided always that should the event giving rise to the claim of continuing effect, the Contractor shall submit an interim claim within the said thirty days and a final claim within thirty days of the end of the event giving rise to the claim.

25. Price Adjustment

- 25.1 The Project Manager shall adjust the Contract Price if taxes, duties and other levies are changed between the date 30 days before the submission of tenders for the Contract and the date of Completion. The adjustment shall be the change in the amount of tax payable by the Contractor.
- 25.2 The Contract Price shall be deemed to be based on exchange rates current at the date of tender submission in calculating the cost to the Contractor of materials to be specifically imported (by express provisions in the Contract Bills of Quantities or Specifications) for permanent incorporation in the Works. Unless otherwise stated in the Contract, if at any time during the period of the Contract exchange rates shall be varied and this shall affect the cost to the Contractor of such materials, then the Project Manager shall assess the net difference in the cost of such materials. Any amount from time to time so assessed shall be added to or deducted from the Contract Price, as the case may be.
- 25.3 Unless otherwise stated in the Contract, the Contract Price shall be deemed to have been calculated in the manner set out below and in sub-clauses 25.4 and 25.5 and shall be subject to adjustment in the events specified thereunder;
 - (i) The prices contained in the Contract Bills of Quantities shall be deemed to be based upon the rates of wages and other emoluments and expenses as determined by the Joint Building Council of Kenya (J.B.C.) and set out in the schedule of basic rates issued 30 days before the date for submission of tenders. A copy of the schedule used by the Contractor in his pricing shall be attached in the Appendix to Conditions of Contract.
 - (ii) Upon J.B.C. determining that any of the said rates of wages or other emoluments and expenses are increased or decreased,

then the Contract Price shall be increased or decreased by the amount assessed by the Project Manager based upon the difference, expressed as a percentage, between the rate set out in the schedule of basic rates issued 30 days before the date for submission of tenders and the rate published by the J.B.C. and applied to the quantum of labour incorporated within the amount of Work remaining to be executed at the date of publication of such increase or decrease.

- (iii) No adjustment shall be made in respect of changes in the rates of wages and other emoluments and expenses which occur after the date of Completion except during such other period as may be granted as an extension of time under clause 17.0 of these Conditions.
- 25.4 The prices contained in the Contract Bills of Quantities shall be deemed to be based upon the basic prices of materials to be permanently incorporated in the Works as determined by the J.B.C. and set out in the schedule of basic rates issued 30 days before the date for submission of tenders. A copy of the schedule used by the Contractor in his pricing shall be attached in the Appendix to Conditions of Contract.
- 25.5 Upon the J.B.C. determining that any of the said basic prices are increased or decreased then the Contract Price shall be increased or decreased by the amount to be assessed by the Project Manager based upon the difference between the price set out in the schedule of basic rates issued 30 days before the date for submission of tenders and the rate published by the J.B.C. and applied to the quantum of the relevant materials which have not been taken into account in arriving at the amount of any interim certificate under clause 23 of these Conditions issued before the date of publication of such increase or decrease.
- 25.6 No adjustment shall be made in respect of changes in basic prices of materials which occur after the date for Completion except during such other period as may be granted as an extension of time under clause 17.0 of these Conditions.
- 25.7 The provisions of sub-clause 25.1 to 25.2 herein shall not apply in respect of any materials included in the schedule of basic rates.

26. Retention

26.1 The Employer shall retain from each payment due to the Contractor the proportion stated in the Appendix to Conditions of Contract until Completion of the whole of the Works. On Completion of the whole of the Works, half the total amount retained shall be repaid to the Contractor and the remaining half when the Defects Liability Period

has passed and the Project Manager has certified that all defects notified to the Contractor before the end of this period have been corrected.

27. Liquidated Damages

27.1 The Contractor shall pay liquidated damages to the Employer at the rate stated in the Appendix to Conditions of Contract for each day that the actual Completion Date is later than the Intended Completion Date.

The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not alter the Contractor's liabilities.

27.2 If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rate specified in Clause 23.30

28. Securities

28.1 The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form and by a reputable bank acceptable to the Employer, and denominated in Kenya Shillings. The Performance Security shall be valid until a date 30 days beyond the date of issue of the Certificate of Completion.

29. Dayworks

- 29.1 If applicable, the Dayworks rates in the Contractor's tender shall be used for small additional amounts of Work only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.
- 29.2 All work to be paid for as Dayworks shall be recorded by the Contractor on Forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within two days of the Work being done.
- 29.3 The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms.

30. Liability and Insurance

30.1 From the Start Date until the Defects Correction Certificate has been issued, the following are the Employer's risks:

- (a) The risk of personal injury, death or loss of or damage to property (excluding the Works, Plant, Materials and Equipment), which are due to;
 - (i) use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works, or
 - (ii) negligence, breach of statutory duty or interference with any legal right by the Employer or by any person employed by or contracted to him except the Contractor.
- (b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Employer or in Employer's design, or due to war or radioactive contamination directly affecting the place where the Works are being executed.
- 30.2 From the Completion Date until the Defects Correction Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is the Employer's risk except loss or damage due to;
 - (a) a defect which existed on or before the Completion Date.
 - (b) an event occurring before the Completion Date, which was not itself the Employer's risk
 - (c) the activities of the Contractor on the Site after the Completion Date.
- 30.3 From the Start Date until the Defects Correction Certificate has been issued, the risks of personal injury, death and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Employer's risk are Contractor's risks.

The Contractor shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts stated in the Appendix to Conditions of Contract for the following events;

- (a) loss of or damage to the Works, Plant, and Materials;
- (b) loss of or damage to Equipment;
- (c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract, and
- (d) personal injury or death.
- 30.4 Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide for compensation required to rectify the loss or damage incurred.

- 30.5 If the Contractor does not provide any of the policies and certificates required, the Employer may effect the insurance which the Contractor should have provided and recover the premiums from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.
- 30.6 Alterations to the terms of insurance shall not be made without the approval of the Project Manager. Both parties shall comply with any conditions of insurance policies.

31. Completion and taking over

31.1 Upon deciding that the Works are complete, the Contractor shall issue a written request to the Project Manager to issue a Certificate of Completion of the Works. The Employer shall take over the Site and the Works within seven [7] days of the Project Manager are issuing a Certificate of Completion.

32. Final Account

32.1 The Contractor shall issue the Project Manager with a detailed account of the total amount that the Contractor considers payable to him by the Employer under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 30 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 30 days a schedule that states the scope of the corrections or additions that are necessary. If the final account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a Payment Certificate. The Employer shall pay the Contractor the amount due in the Final Certificate within 60 days.

33. Termination

33.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract. These

fundamental breaches of Contract shall include, but shall not be limited to, the following;

- (a) the Contractor stops work for 30 days when no stoppage of work is shown on the current program and the stoppage has not been authorised by the Project Manager;
- (b) the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 30 days;

- (c) the Contractor is declared bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
- (d) a payment certified by the Project Manager is not paid by the Employer to the Contractor within 30 days (for Interim Certificate) or 60 days (for Final Certificate) of issue.
- (e) the Project Manager gives notice that failure to correct a particular defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager;
- (f) the Contractor does not maintain a security, which is required.
- 33.2 When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under Clause 33.1 above, the Project Manager shall decide whether the breach is fundamental or not.
- 33.3 Notwithstanding the above, the Employer may terminate the Contract for convenience.
- 33.4 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible. The Project Manager shall immediately thereafter arrange for a meeting for the purpose of taking record of the Works executed and materials , goods, equipment and temporary buildings on Site.

34. Payment Upon Termination

- 34.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Project Manager shall issue a certificate for the value of the Work done and materials ordered and delivered to Site up to the date of the issue of the certificate. Additional liquidated damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be a debt payable by the Contractor.
- 34.2 If the Contract is terminated for the Employer's convenience or because of a fundamental breach of Contract by the Employer, the Project Manager shall issue a certificate for the value of the Work done, materials ordered, the reasonable cost of removal of equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works.
- 34.3 The Employer may employ and pay other persons to carry out and complete the Works and to rectify any defects and may enter upon the

Works and use all materials on the Site, plant, equipment and temporary works.

34.4 The Contractor shall, during the execution or after the completion of the Works under this clause remove from the Site as and when required, within such reasonable time as the Project Manager may in writing specify, any temporary buildings, plant, machinery, appliances, goods or materials belonging to or hired by him, and in default the Employer may (without being responsible for any loss or damage) remove and sell any such property of the Contractor, holding the proceeds less all costs incurred to the credit of the Contractor. Until after completion of the Works under this clause the Employer shall not be bound by any other provision of this Contract to make any payment to the Contractor, but upon such completion as aforesaid and the verification within a reasonable time of the accounts therefore the Project Manager shall certify the amount of expenses properly incurred by the Employer and, if such amount added to the money paid to the Contractor before such determination exceeds the total amount which would have been payable on due completion in accordance with this Contract the difference shall be a debt payable to the Employer by the Contractor; and if the said amount added to the said money be less than the said total amount, the difference shall be a debt payable by the Employer to the Contractor.

35. Release from Performance

35.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop Work as quickly as possible after receiving this certificate and shall be paid for all Work carried out before receiving it.

36. Corrupt gifts and payments of commission

The Contractor shall not;

- (a) Offer or give or agree to give to any person in the service of the Employer any gift or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other Contract for the Employer or for showing or forbearing to show favour or disfavour to any person in relation to this or any other contract for the Employer.
- (b) Enter into this or any other contract with the Employer in connection with which commission has been paid or agreed to be paid by him or on his behalf or to his knowledge, unless before the Contract is made particulars of any such commission and of the terms and conditions

of any agreement for the payment thereof have been disclosed in writing to the Employer.

Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or without the knowledge of the Contractor) shall be an offence under the provisions of the Public Procurement Regulations issued under The Exchequer and Audit Act Cap 412 of the Laws of Kenya.

37. Settlement Of Disputes

- 37.1 In case any dispute or difference shall arise between the Employer or the Project Manager on his behalf and the Contractor, either during the progress or after the completion or termination of the Works, such dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed by the Chairman or Vice Chairman of any of the following professional institutions;
 - (i) Architectural Association of Kenya
 - (ii) Institute of Quantity Surveyors of Kenya
 - (iii) Association of Consulting Engineers of Kenya
 - (iv) Chartered Institute of Arbitrators (Kenya Branch)
 - (v) Institution of Engineers of Kenya

On the request of the applying party. The institution written to first by the aggrieved party shall take precedence over all other institutions.

- 37.2 The arbitration may be on the construction of this Contract or on any matter or thing of whatsoever nature arising thereunder or in connection therewith, including any matter or thing left by this Contract to the discretion of the Project Manager, or the withholding by the Project Manager of any certificate to which the Contractor may claim to be entitled to or the measurement and valuation referred to in clause 23.0 of these conditions, or the rights and liabilities of the parties subsequent to the termination of Contract.
- 37.3 Provided that no arbitration proceedings shall be commenced on any dispute or difference where notice of a dispute or difference has not

- been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 37.4 Notwithstanding the issue of a notice as stated above, the arbitration of such a dispute or difference shall not commence unless an attempt has in the first instance been made by the parties to settle such dispute or difference amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 37.5 Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:
 - 37.5.1 The appointment of a replacement Project Manager upon the said person ceasing to act.
 - Whether or not the issue of an instruction by the Project Manager is empowered by these Conditions.
 - Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
 - 37.5.4 Any dispute or difference arising in respect of war risks or war damage.
- 37.6 All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Employer and the Contractor agree otherwise in writing.
- 37.7 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and award any sums which ought to have been the subject of or included in any certificate.
- 37.8 The Arbitrator shall, without prejudice to the generality of his powers,
 - have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision requirement or notice had been given.
- 37.9 The award of such Arbitrator shall be final and binding upon the parties.

ADDENDUM

- 1. Omit clause 1.5 b, d and e from the instructions to tenderers
- 2. Tender security clause 3.18 to be 2 %
- 3. The tenderers should fill and submit the original document only ;Clause 3.14 and 3.15 of instructions to tenderers

SECTION IV - APPENDIX TO CONDITIONS OF CONTRACT

THE EMPLOYER IS

Name: THE CHIEF ADMINISTRATOR,

COAST GENERAL REFERRAL AND TRAINING HOSPITAL

Address: P.O BOX 90231-80100, MOMBASA

Name of Authorised Representative: THE COUNTY CHIEF OFFICER,
DEPARTMENT OF TRANSPORT, INFRASTRUCTURE AND

PUBLIC WORKS

Address: P.O Box 90350-80100, Mombasa

Telephone:

Email: infrastructure@mombasa.go.ke

The Project Manager is

Name: DIRECTOR OF PUBLIC WORKS, MOMBASA

Address: P.O BOX 90350-80100, MOMBASA

Telephone

Facsimile:

The name (and identification number) of the Contract: Proposed Construction of Cath Lab at Coast General Referral and Training Hospital.

The Works consist of General construction and associated specialized works

The Start Date shall be AGREED WITH THE PROJECT MANAGER

The Intended Completion Date for the whole of the Works shall be 26 WEEKS AFTER COMMENCEMENT DATE

The following documents also form part of the Contract: Documents listed in clause 2.1 conditions of contract

The Contractor shall submit a revised program for the Works within 7 days of delivery of the Letter of Acceptance.

The Site Possession Date shall be AGREED WITH THE PROJECT MANAGER

The Site is located at Coast General Referral and Training Hospital.

The Defects Liability period is 180 days.

| Other Contractors, utilities etc., to be engaged by the Employer on the Site Include those for the execution of; |
|--|
| 1 |
| 2 |
| The minimum insurance covers shall be; |
| 1. The minimum cover for insurance of the Works and of Plant and Materials in respect of the Contractor's faulty design is |
| 2. The minimum cover for loss or damage to Equipment is Kshs 4,000,000 |
| 3. The minimum for insurance of other property is Kshs 1,000,000 |
| 4. The minimum cover for personal injury or death insurance |
| • For the Contractor's employees is Kshs 1,000,000 |
| • And for other people is Kshs 1,000,000 |
| The following events shall also be Compensation Events: |
| 1. Those listed in the conditions of contract |
| The period between Program updates is 30 days. |
| The amount to be withheld for late submission of an updated Program is the entire certificate |
| The proportion of payments retained is 10 percent. |
| The Price Adjustment Clause (shall not) apply |
| The liquidated damages for the whole of the Works is Kshs. 20,000 (per Week) |
| The Performance Security shall be for the following minimum amounts equivalent as a percentage of the Contract Price 5 percent (%) |

The Completion Period for the Works is 26 Weeks

The rate of exchange for calculation of foreign currency payments is not applicable.

The schedule of basic rates used in pricing by the Contractor is as attached [Contractor to attach].

Advance Payment shall not be granted.

SECTION V - SPECIFICATIONS

Notes for preparing Specifications

- 1.0 Specifications must be drafted to present a clear and precise statement of the required standards of materials, and workmanship for tenderers to respond realistically and competitively to the requirements of the Employer and ensure responsiveness of tenders. The Specifications should require that all materials, plant, and other supplies to be permanently incorporated in the Works be new, unused, of the most recent or current models, and incorporating all recent improvements in design and materials unless provided otherwise in the Contract. Where the Contractor is responsible for the design of any part of the permanent Works, the extent of his obligations must be stated.
- 2.0 Specifications from previous similar projects are useful and may not be necessary to re-write specifications for every Works Contract.
- 3.0 There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, urban housing, irrigation and water supply. The General Specifications should cover all classes of workmanship, materials and equipment commonly involved in constructions, although not necessarily to be used in a particular works contract. Deletions or addenda should then adapt the General Specifications to the particular Works.
- 4.0 Care must be taken in drafting Specifications to ensure they are not restrictive. In the Specifications of standards for materials, plant and workmanship, existing Kenya Standards should be used as much as possible, otherwise recognized international standards may also be used.
- 5.0 The Employer should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in tender documents for certain elements of the Works, taking into consideration the comparative specialized advantage of potential tenderers.

The Employer should provide a description of the selected parts of the Works with appropriate reference to

Drawings, Specifications, Bills of Quantities, and Design or Performance criteria, stating that the alternative solutions shall be at least structurally and functionally equivalent to the basic design parameters and Specifications.

Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Employer, including drawings, design calculations, technical specifications, breakdown of prices, proposed construction methodology, and other relevant details. Technical alternatives permitted in this manner shall be considered by the Employer each on its own merits and independently of whether the tenderer has priced the item as described in the Employer's design included with the tender documents.

SECTION VI - DRAWINGS

- Note 1. A list of drawings should be inserted here
 - 2. The actual drawings including Site plans should be annexed in a separate booklet.

SECTION VII - BILL OF QUANTITIES

Notes for preparing Bills of Quantities

- 1.0 The objectives of the Bills of Quantities are;
 - to provide sufficient information on the quantities of Works to be performed to enable tenders to be prepared efficiently and accurately; and
 - (b) when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

- 2.0 The Bills of Quantities should be divided generally into the following sections:
 - (a) Preliminaries.

The preliminaries should indicate the inclusiveness of the unit prices, and should state the methods of measurement which have been adopted in the preparation of the Bill of Quantities and which are to be used for the measurement of any part of the Works.

The number of preliminary items to be priced by the tenderer should be limited to tangible items such as site office and other temporary works, otherwise items such as security for the Works which are primarily part of the Contractor's obligations should be included in the Contractor's rates.

- (b) Work Items
- (i) The items in the Bills of Quantities should be grouped into sections to distinguish between those parts of the Works which by nature, location, access, timing, or any other special characteristics may give rise to different methods of construction, or phasing of the Works, or considerations of cost. General items common to all parts of the Works may be grouped as a separate section in the Bill of Quantities.

- (ii) Quantities should be computed net from the Drawings, unless directed otherwise in the Contract, and no allowance should be made for bulking, shrinkage or waste. Quantities should be rounded up or down where appropriate.
- (iii) The following units of measurement and abbreviations are recommended for use.

| Unit | Abbreviation | Unit | Abbreviation |
|---|----------------------------|---|---|
| cubic meter hectare hour kilogram lump sum meter | m³ or cu m ha h kg sum m t | millimeter month number square meter square millimeter week | mm mon nr m² or sq m mm² or sq mm wk |
| metric to (1,000 kg) | on | | |

(iv) The commencing surface should be identified in the description of each item for Work involving excavation, boring or drilling, for which the commencing surface is not also the original surface. The excavated surface should be identified in the description of each item for Work involving excavation for which the excavated surface is not also the final surface. The depths of Work should be measured from the commencing surface to the excavated surface, as defined.

(c) Daywork Schedule

A Daywork Schedule should be included if the probability of unforeseen work, outside the items included in the Bill of Quantities, is relatively high. To facilitate checking by the Employer of the realism of rates quoted by the tenderers, the Daywork Schedule should normally comprise:

- (i) a list of the various classes of labour, and materials for which basic Day work rates or prices are to be inserted by the tenderer, together with a statement of the conditions under which the Contractor will be paid for Work executed on a Day work basis; and
- (ii) a percentage to be entered by the tenderer against each basic Day work Subtotal amount for labour, materials and plant representing the Contractor's profit, overheads, supervision and other charges.

(d) Provisional Quantities and Sums

(i)

- Provision for quantity contingencies in any particular item or class of Work with a high expectation of quantity overrun should be made by entering specific "Provisional Quantities" or "Provisional Items" in the Bill of Quantities, and *not* by increasing the quantities for that item or class of Work beyond those of the Work normally expected to be required. To the extent not covered above, a general provision for physical contingencies (quantity overruns) should be made by including a "Provisional Sum" in the Summary of the Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a "Provisional Sum" in the Summary of the Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises.
 - (ii) Provisional sums to cover specialized works normally carried out by Nominated Sub Contractors should be avoided and instead Bills of Quantities of the specialised Works should be included as a section of the main Bills of Quantities to be priced by the Main Contractor. The Main Contractor should be required to indicate the name (s) of

the specialised firms he proposes to engage to carry out the specialized Works as his approved domestic sub-contractors. Only provisional sums to cover specialized Works by statutory authorities should be included in the Bills of Quantities.

(e) Summary

The Summary should contain a tabulation of the separate parts of the Bills of Quantities carried forward, with provisional sums for Daywork, for physical (quantity) contingencies, and for price contingencies (upward price adjustment) where applicable.

SECTION VIII - STANDARD FORM

| (i) | Form of Invitation for Tenders |
|--------|---|
| (ii) | Form of Tender |
| (iii) | Letter of Acceptance |
| (iv) | Form of Agreement |
| (v) | Form of Tender Security |
| (vi) | Performance Bank Guarantee |
| (vii) | Bank Guarantee for Advance Payment |
| (viii) | Qualification Information |
| (ix) | Tender Questionnaire |
| (xi) | Confidential Business Questionnaire |
| (x) | Statement of Foreign Currency Requirement |
| (xi) | Details of Sub-Contractors |

FORM OF INVITATION FOR TENDERS

| [date] | |
|---|--|
| To: | [address] |
| Dear Sirs: | |
| Reference: | [Contract Name] |
| You have been prequalified to tender | for the above project. |
| We hereby invite you and other preq execution and completion of the above | ualified tenderers to submit a tender for the e Contract. |
| A complete set of tender documents n | nay be purchased by you from |
| [mailing address, co | able/telex/facsimile numbers]. |
| Upon payment of a non-refundable fe | e of Kshs |
| All tenders must be accompanied by and a security in the form and amou must be delivered to | number of copies of the same nt specified in the tendering documents, and |
| [address and locati | on] |
| | _(time and date). Tenders will be opened ce of tenderers' representatives who choose to |
| Please confirm receipt of this letter in telex. | nmediately in writing by cable/facsimile or |
| Yours faithfully, | |
| | _ Authorised Signature |
| | Name and Title |

FORM OF TENDER

| ТО | :[Name of Employer) [Date][Name of Contract] ——— |
|----|--|
| De | ar Sir, |
| 1. | In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct, install and complete such Works and remedy any defects therein for the sum of Kshs |
| 2. | We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Project Manager's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Appendix to Conditions of Contract. |
| | We agree to abide by this tender until[Insert date], and it shall remain binding upon us and may be accepted at any time before that date. |
| | Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute a binding Contract between us. |
| | We understand that you are not bound to accept the lowest or any tender you may receive. |
| | Dated this day of20 |
| | Signaturein the capacity of |
| | duly authorized to sign tenders for and on behalf of |
| | Witness; Name |
| | Address |
| | Signature |
| | Date |

<u>LETTER OF ACCEPTANCE</u> [letterhead paper of the Employer]

| | [date] |
|---|--|
| To: | |
| [address of the Contractor] | |
| Dear Sir, | |
| This is to notify you that your Tender day for the execution of | ted number, as given in the Tender documents] [amount in |
| figures/[Kenya Shillings_accordance with the Instructions to Tend | (amount in words)] in lerers is hereby accepted. |
| You are hereby instructed to proceed accordance with the Contract documents | with the execution of the said Works in s. |
| Authorized Signature | |
| Name and Title of Signatory | |
| Attachment : Agreement | |

FORM OF AGREEMENT

| THIS | AGRE | EEMENT, made the day of | of | | _20 | |
|--------|--------------------|--|----------------|------------------|---------------------------------|---------------|
| betwe | en | | | of or v | whose | registered |
| office | is situ | uated at] | | | | _ |
| (herei | nafter | r called "the Employer") of the one part AN | ID | | | |
| | | | | of[or | whose | registered |
| | | uated at] | | | | |
| (herei | nafter | r called "the Contractor") of the other part. | | | | |
| WHE | REAS | THE Employer is desirous that the Contra | actor | exect | ıtes | |
| • | | identification number of Contract) (hereina | | | | • |
| locate | ed at_ | [Place/location in as accepted the tender submitted by the G | on of | the V | Vorks]a | and the |
| | | | | | | |
| | _ | etion of such Works and the remedying of | _ | | | |
| | | rice of Kshs[An | | | gures _] , t in wo | |
| SIIIII | ngs | | [/7/ | поин | i iri wc | nasj. |
| NOW | THIS | AGREEMENT WITNESSETH as follows: | | | | |
| 1. | are re | is Agreement, words and expressions shal espectively assigned to them in the Conditred to. | | | | _ |
| 2. | | following documents shall be deemed to for trued as part of this Agreement i.e. | rm a | nd sh | all be | read and |
| | (i) | Letter of Acceptance | | | | |
| | (ii) | Form of Tender | | | | |
| | (iii) | Conditions of Contract Part I | | | | |
| | (iv) | Conditions of Contract Part II and Appen | ndix t | o Cor | ndition | s of Contract |
| | (v) | Specifications | | | | |
| | (vi) | Drawings | | | | |
| | (vii) | Priced Bills of Quantities | | | | |
| 3. | Control cover reme | ensideration of the payments to be made by ractor as hereinafter mentioned, the Conti- nants with the Employer to execute and co- edy any defects therein in conformity in all e Contract. | racto omple | r here ete th | eby e Worl | ks and |

4. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

| The common Seal of | |
|--|--|
| Was hereunto affixed in the presence of | |
| Signed Sealed, and Delivered by the said | |
| Binding Signature of Employer | |
| Binding Signature of Contractor | |
| In the presence of (i) Name | |
| Address | |
| Signature | |
| [ii] Name | |
| Address | |
| Signature | |

FORM OF TENDER SECURITY

| subm | itted | his tender dat | (her | for the | |
|--------------------------------------|------------------------|---|--|--|---|
| | | (Name of Co | ontract) | ••••• | |
| regist Kshs. Emplo with | ered o | office at | se presents that when the second in the seco | alled "the Bank"), e Employer") is and truly to be and assigns by the | are bound unto n the sum of made to the said se presents sealed |
| THE (| COND | TIONS of this obl | igation are: | | |
| 1. | | 1 0 | the tenderer witho fied in the instructi | | during the period |
| 2. | | · · · · · · · · · · · · · · · · · · · | been notified of the eriod of tender valid | - | his tender by the |
| | (a) (b) | the Instructions fails or refuses | to execute the form to Tenderers, if req to furnish the Per tions to Tenderers; | uired; or | |
| | of his dema amou | first written dem nd, provided tha nt claimed by hi | o the Employer up and, without the E at in his demand m is due to him, ons, specifying the | Employer having to the Employer w owing to the occ | o substantiate his rill note that the urrence of one or |
| | the p | eriod of tender | nain in force up to validity, and any o er than the said da | demand in respe | . , . |
| | | [Date [| | [signature of the | Bank] |
| | | [Witness] | | [Seal] | |

PERFORMANCE BANK GUARANTEE

| | (Name of Employer)(Date) (Address of Employer) |
|--|--|
| Dear Sir, | |
| | (hereinafter called "the Contractor") has e of Contract No dated to execute er called "the Works"); |
| Contractor shall furnish | been stipulated by you in the said Contract that the you with a Bank Guarantee by a recognised bank for the as security for compliance with his obligations in ract; |
| AND WHEREAS we have a | greed to give the Contractor such a Bank Guarantee: NOW |
| you, on behalf of the Con Guarantee in figures) K (amount of Guarantee in written demand and with | affirm that we are the Guarantor and responsible to tractor, up to a total of Kshs (amount of enya Shillings words), and we undertake to pay you, upon your first out cavil or argument, any sum or sums within the limits (amount of Guarantee in words) as |
| aforesaid without your n demand for the sum spec | eeding to prove or to show grounds or reasons for your ified therein. |
| We hereby waive the r Contractor before present | necessity of your demanding the said debt from the ing us with the demand. |
| Contract or of the Work documents which may be | change, addition or other modification of the terms of the s to be performed thereunder or of any of the Contract made between you and the Contractor shall in any way lity under this Guarantee, and we hereby waive notice of modification. |
| This guarantee shall b Completion. | e valid until the date of issue of the Certificate of |
| SIGNATURE AND S | EAL OF THE GUARANTOR |
| Name of Ban | K |
| Address | |
| Date | |

BANK GUARANTEE FOR ADVANCE PAYMENT To: [name of Employer] (Date) [address of Employer] Gentlemen, [name of Contract] Ref: In accordance with the provisions of the Conditions of Contract of the abovementioned Contract, We, [name Address of Contractor] (hereinafter called "the Contractor") shall deposit with [name of Employer] a bank guarantee to guarantee his proper and faithful performance under the said Contract in an amount of Kshs.______[amount of Guarantee in figurers] Keshsllings_______[amount of Guarantee in words]. [bank or financial institution], as instructed by the We, Contractor, agree unconditionally and irrevocably to guarantee as primary obligator and not Surety merely, as the payment [name of Employer] on his first demand without whatsoever right of objection on our part and without his first claim to the Contractor, in the amount not exceeding Kshs_____[amount of Kenya Guarantee figures] Shillings in [amount Guarantee in words, such amount to be reduced periodically by the amounts recovered by you from the proceeds of the Contract. We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between ______[name of Employer and the Contractor, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification. No drawing may be made by you under this guarantee until we have received notice in writing from you that an advance payment of the amount listed above has been paid to the Contractor pursuant to the Contract. This guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until (name of Employer) receives full payment of the same amount from the Contract. Yours faithfully, Signature and Seal _____

| Name of th | ne Bank or financial institution |
|------------|----------------------------------|
| Address _ | |
| | |
| Witness: | Name: |
| | Address: |
| | Signature: |
| | Date: |

QUALIFICATION INFORMATION

| Cer | tificat | _ | tus o | f tenderer (attach | сору о | r Incorpor |
|----------------|---------|---------------------------------------|--------|--|-------------|----------------------------|
| Pri | ncipal | place of busine | ess | | | |
| Pov | ver of | attorney of sign | natory | y of tender | | |
| l.2 Tot yea | | ual volume of o | const | ruction work perf | ormed | in the last |
| Year | | | Vo | lume | | |
| | (| Currency | | Value | | |
| | | | | | | |
| Project na | ame | Name of clie and contact person | | Type of work performed and year of completion | Valu Con | e of tract |
| | | | | | | |
| | | | | | | |
| | rks. L | | ion r | Cquipment propose equested below. Condition(new, good, poor) and number available | Owne | d, leased whom?), pe |

| | sition | Name | Years of experience (general) | Years of experience in proposed position |
|-----|------------------|--------------|-------------------------------|--|
| Pro | ject Manager | | | |
| eto | 2.) | - | | |
| 6 | | | | ince sheets, profit and below and attach copies |
| 7 | requirements: | cash in han | | meet the qualification |
| | attach copies of | f supportive | | |
| 8 | Name, address | and telepho | documents. | imile numbers of banks |

Works.

2 Joint Ventures

- 2.4 The information listed in 1.1 1.10 above shall be provided for each partner of the joint venture.
- 2.5 The information required in 1.11 above shall be provided for the joint venture.
- 2.6 Attach the power of attorney of the signatory(ies) of the tender authorizing signature of the tender on behalf of the joint venture
- 2.7 Attach the Agreement among all partners of the joint venture (and which is legally binding on all partners), which shows that:
 - a) all partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms;
 - b) one of the partners will be nominated as being in charge, authorized to incur liabilities and receive instructions for and on behalf of any and all partners of the joint venture; and
 - c) The execution of the entire Contract, including payment, shall be done exclusively with the partner in charge.

TENDER QUESTIONNAIRE

| Please fill in block letters. | | | | |
|---|---|--|--|--|
| Full names of tenderer | | | | |
| | | | | |
| Full address of tenderer to which tender co (unless an agent has been appointed below | = | | | |
| | •••••• | | | |
| Telephone number (s) of tenderer | | | | |
| | | | | |
| Telex address of tenderer | | | | |
| | | | | |
| Name of tenderer's representative to be conduring the tender period | ntacted on matters of the tender | | | |
| | | | | |
| Details of tenderer's nominated agent (if ar is essential if the tenderer does not have h (name, address, telephone, telex) | · · | | | |
| | | | | |
| | | | | |
| | Signature of Tenderer | | | |
| Make copy and deliver to: | (Name of Employer) | | | |
| | Full address of tenderer to which tender or (unless an agent has been appointed below Telephone number (s) of tenderer Telex address of tenderer Name of tenderer's representative to be conduring the tender period Details of tenderer's nominated agent (if an is essential if the tenderer does not have he (name, address, telephone, telex) | | | |

CONFIDENTIAL BUSINESS QUESTIONNAIRE

You are requested to give the particulars indicated in Part 1 and either Part 2 (a), 2 (b) or 2 (c) and 2 (d) whichever applies to your type of business.

You are advised that it is a serious offence to give false information on this Form.

| Part 1 – General |
|--|
| Business Name |
| Location of business premises; Country/Town |
| Plot No Street/Road |
| Postal Address Tel No |
| Nature of Business |
| Current Trade Licence No Expiring date |
| Maximum value of business which you can handle at any time: K. pound |
| Name of your bankers |
| Branch |
| Part 2 (a) – Sole Proprietor |
| Your name in full Age |
| Nationality Country of Origin |
| *Citizenship details |
| Part 2 (b) – Partnership |
| Give details of partners as follows: |
| Name in full Nationality Citizenship Details Shares 1 |
| Part 2(c) – Registered Company: Private or public |

| Nominal Kshs |
|--|
| Issued Kshs |
| Give details of all directors as follows: |
| Name in full. Nationality. Citizenship Details*. Shares. |
| 1. |
| 2. |
| 3. |
| 4. |
| Part 2(d) – Interest in the Firm: |
| Is there any person / persons in |
| I certify that the information given above is correct. |
| (Title) (Signature) (Date) |

State the nominal and issued capital of the Company-

• Attach proof of citizenship

STATEMENT OF FOREIGN CURRENCY REQUIREMENTS

(See Clause 23] of the Conditions of Contract)

| In the event of our Tender for the execution of |
|--|
| (name of Contract) being accepted, we would |
| require in accordance with Clause 21 of the Conditions of Contract, which is |
| attached hereto, the following percentage: |
| (Eigenes) (Words) |
| (Figures) (Words) |
| of the Contract Sum, (Less Fluctuations) to be paid in foreign currency. |
| Currency in which foreign exchange element is required: |
| |
| Date: The Day of 20 |
| Enter 0% (zero percent) if no payment will be made in foreign currency. |
| Maximum foreign currency requirement shall be(percent) of the Contract Sum, less Fluctuations. |
| |
| |
| |
| |
| (Signature of Tenderer) |

DETAILS OF SUB-CONTRACTORS

If the Tenderer wishes to sublet any portions of the Works under any heading, he must give below details of the sub-contractors he intends to employ for each portion.

Failure to comply with this requirement may invalidate the tender.

| (1) | Port | ion of Works to be sublet: | |
|-----|------|---|------|
| | [i) | Full name of Sub-contractor and address of head office: | |
| | | | |
| | (ii) | Sub-contractor's experience of similar works carried out | |
| | | in the last 3 years with Contract value: | |
| | | | |
| | | | |
| (2) | Port | ion of Works to sublet: | |
| | (i) | Full name of sub-contractor and address of head office: | |
| | | | |
| | | | |
| | (ii) | Sub-contractor's experience of similar works carried out in the last 3 years with | |
| | | contract value: | |
| | | | |
| | | [O': | Data |
| | | [Signature of Tenderer) | Date |

LETTER OF NOTIFICATION OF AWARD

| Address of Procur | ring Entity |
|---|-----------------|
| To: | |
| RE: Tender No | |
| Tender Name This is to notify that the contract/s stated below under the a tender have been awarded to you. | bove mentioned |
| Please acknowledge receipt of this letter of notification acceptance. | signifying your |
| 2. The contract/contracts shall be signed by the parties of date of this letter but not earlier than 14 days from the | ž. |
| 3. You may contact the officer(s) whose particulars appearubject matter of this letter of notification of award. | r below on the |
| (FULL PARTICULARS) | |

SIGNED FOR ACCOUNTING OFFICER

| A. PRICING OF ITEMS OF PRELIMINARIES AND PREAMBLES Prices will be inserted against items of Preliminaries in the Contractor's priced Bills of Quantities and Specification. The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract. B. ABBREVIATIONS Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows:- C.M. Shall mean cubic metre S.M. Shall mean square metre L.M. Shall mean Millimetre Kg. Shall mean Millimetre Kg. Shall mean Millimetre Kg. Shall mean Kilogramme No. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described DOW Shall mean Director Public Works. | KSHS | TEM DESCRIPTION | ITEM |
|--|------|--|------|
| Prices will be inserted against items of Preliminaries in the Contractor's priced Bills of Quantities and Specification. The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract. B. ABBREVIATIONS Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows:- C.M. Shall mean cubic metre S.M. Shall mean square metre L.M. Shall mean Millimetre K.g. Shall mean Millimetre K.g. Shall mean Kilogramme No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | GENERAL PRELIMINARIES | |
| Bills of Quantities and Specification. The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract. B. ABBREVIATIONS Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows:- C.M. Shall mean cubic metre S.M. Shall mean square metre L.M. Shall mean linear metre MM Shall mean Millimetre Kg. Shall mean Kilogramme No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | A. PRICING OF ITEMS OF PRELIMINARIES AND PREAMBLES | A. |
| items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract. B. ABBREVIATIONS Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows:- C.M. Shall mean cubic metre S.M. Shall mean square metre L.M. Shall mean linear metre MM Shall mean Millimetre Kg. Shall mean Kilogramme No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | | |
| Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows: C.M. Shall mean cubic metre S.M. Shall mean square metre L.M. Shall mean linear metre MM Shall mean Millimetre Kg. Shall mean Kilogramme No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | items in the Bills of Quantities or Specification for all costs involved in complying with | |
| interpreted as follows:- C.M. Shall mean cubic metre S.M. Shall mean square metre L.M. Shall mean linear metre MM Shall mean Millimetre Kg. Shall mean Kilogramme No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.L., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | B. ABBREVIATIONS | В. |
| S.M. Shall mean square metre L.M. Shall mean linear metre MM Shall mean Millimetre Kg. Shall mean Kilogramme No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | | |
| L.M. Shall mean linear metre MM Shall mean Millimetre Kg. Shall mean Kilogramme No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | C.M. Shall mean cubic metre | |
| MM Shall mean Millimetre Kg. Shall mean Kilogramme No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | S.M. Shall mean square metre | |
| Kg. Shall mean Kilogramme No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | L.M. Shall mean linear metre | |
| No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | MM Shall mean Millimetre | |
| Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | Kg. Shall mean Kilogramme | |
| B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | No. Shall mean Number | |
| British Standards Institution, 2 Park Street, London W.I., England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | Prs. Shall mean Pairs | |
| qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described | | British Standards Institution, 2 Park Street, London W.I., | |
| a.b.d Shall mean as before described | | | |
| | | m.s. Shall mean measured separately. | |
| DOW Shall mean Director Public Works. | | a.b.d Shall mean as before described | |
| | | DOW Shall mean Director Public Works. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| CD/01 Carried to collection | | | |
| GP/01 ITEM DESCRIPTION | KSHS | | ITEM |

A. EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT

Attendance; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted:-

Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and for storage of plant and materials; providing light and water for their work: clearing away rubbish; unloading checking and hoisting: providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub-Contractors' work and being responsible for the accuracy of the same.

Fix Only:-

"Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.

B. EMPLOYER

The "Employer" is the Chief Administrator, Coast General Referral and Training Hospital

The term "Employer" and "Government" wherever used in the contract document shall be synonymous

C. PROJECT MANAGER

The term "P.M." wherever used in these Bills of Quantities shall be deemed to imply the Project Manager as defined in Condition 1 of the Conditions of Contract or such person or persons as may be duly authorized to represent him on behalf of the Government.

D. ARCHITECT

The term "Architect" shall be deemed to mean "The PM ." as defined above whose address unless otherwise notified is DPW/MOMBASA P.O. Box 90350 - 80100 Mombasa

E. QUANTITY SURVEYOR

The term "Quantity Surveyor" shall be deemed to mean "The E.R." as defined above address unless otherwise notified is DOW/MOMBASA P.O. Box 90350 - 80100 Mombasa

| | Carried to collection | |
|--|-----------------------|--|

| ITEM | DESCRIPTION | KSHS |
|------|-------------|------|
| | | |

A. ELECTRICAL ENGINEER

The term "Electrical Engineer" shall be deemed to mean "The PM." as defined above address unless otherwise notified is DOW /MOMBASA P.O. Box 90350 Mombasa

B. MECHANICAL ENGINEER

The term "Mechanical Engineer" shall be deemed to mean "The PM." as defined above address unless otherwise notified is DOW /MOMBASA P.O. Box 90350 Mombasa

C. STRUCTURAL ENGINEER

The term "Structural Engineer" shall be deemed to mean "The PM" as defined above address unless otherwise notified is DOW /MOMBASA P.O. Box 90350 Mombasa

D. FORM OF CONTRACT

The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Building Works(2006 Edition) included herein The Conditions of Contract are also included herein

Conditions of Contract

These are numbered from AS ATTACHED of these tender documents. Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities

E. BOND.

The Contractor shall find and submit on the Form of Tender and approved bank and who will be willing to be bound the Government in and amount equal to five (5) per cent of the Contract amount for the due performances of the Contract up to the date of completion as certified by the PM and who will when and if called upon, sign a Bond to that effect on the relevant standard form included herein. (without the addition of any limitations) on the same day as the Contract Agreement is signed, by the Government, the Contractor shall furnish within seven days another Surety to the approval of the Government.

| | Carried to collection | |
|------|--|------|
| | GP/03 | _ |
| ITEM | DESCRIPTION | KSHS |
| A. | PLANT, TOOLS AND VEHICLES CGM/PRO/T/38/2019-2020 | |

Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.

B. TRANSPORT.

Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities.

C. MATERIALS AND WORKMANSHIP.

All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials.

D. SIGN FOR MATERIALS SUPPLIED.

The Contractor will be required to sign a receipt for all articles and materials supplied by the PM at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PM at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PM

E. STORAGE OF MATERIALS

The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PM Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use.

| | Carried to collection | |
|--|-----------------------|--|
| | | |

| | | 01/01 | |
|------|---------|------------------------|------|
| ITEM | | DESCRIPTION | KSHS |
| A. | SAMPLES | | |
| | | CGM/PRO/T/38/2019-2020 | |

The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER his approval until such samples are approved by the PROJECT MANAGER

and the PROJECT MANAGER , may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Roads, Housing and Public Works.

The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER. The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors' work.

B. GOVERNMENT ACTS REGARDING WORK PEOPLE ETC.

Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople.

The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained.

C. SECURITY OF WORKS ETC.

The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public.

|--|

| ITEM | DESCRIPTION | KSHS |
|------|--|------|
| | | |
| A. | PUBLIC AND PRIVATE ROADS. | |
| | Maintain as required throughout the execution of the works and make good any | |

damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER

B. EXISTING PROPERTY.

The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER

C. VISIT SITE AND EXAMINE DRAWINGS.

The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.

D. ACCESS TO SITE AND TEMPORARY ROADS.

Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER

E. AREA TO BE OCCUPIED BY THE CONTRACTOR

The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER

| | | Carried to collection |
|--|--|-----------------------|
|--|--|-----------------------|

| , | |
|--|---|
| DESCRIPTION | KSHS |
| OFFICE ETC. FOR THE PROJECT MANAGER | |
| The Contractor shall provide, erect and maintain where directed on site and afterwards | |
| dismantle the site office of the type noted in the Particular Preliminaries, complete with | |
| Furniture. He shall also provide a strong metal trunk complete with strong hasp and | |
| staple fastening and two keys. He shall provide, erect and maintain a lock-up type water | |
| or bucket closet for the sole use of the PROJECT MANAGER including making | |
| CGM/PRO/T/38/2019-2020 | |
| | OFFICE ETC. FOR THE PROJECT MANAGER The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the site office of the type noted in the Particular Preliminaries, complete with Furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making |

temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 metre metallic or linen tape.

B. WATER AND ELECTRICITY SUPPLY FOR THE WORKS

The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER . The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub--contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.

C. SANITATION OF THE WORKS

The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER

D. SUPERVISION AND WORKING HOURS

The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.

E. PROVISIONAL SUMS.

The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Such sums are net and no addition shall be made to them for profit.

| | Carried to collection | |
|-------|---|------|
| GP/07 | | |
| ITEM | DESCRIPTION | KSHS |
| A. | PRIME COST (OR P.C.) SUMS. | |
| | The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. | |
| | Firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods as stated in Condition No. 20 of the Conditions of Contract are | |
| | described herein as Nominated Sub-Contractors. | |

CGM/PRO/T/38/2019-2020

Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.

B. PROGRESS CHART.

The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.

C. ADJUSTMENT OF P.C. SUMS.

In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER 'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them.

Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.

| | Carried to collection | |
|-------|--|------|
| GP/08 | | |
| ITEM | DESCRIPTION | KSHS |
| A. | ADJUSTMENT OF PROVISIONAL SUMS. | |
| | In the final account all Provisional Sums shall be deducted and the value of the work | |
| | properly executed in respect of them upon the PROJECT MANAGER 's order added to | |
| | the Contract Sum. Such work shall be valued as described for Variations in Conditions | |
| | No. 13of the Conditions of Contract, but should any part of the work be executed by a | |
| | Nominated Sub-Contractor, the value of such work or articles for the work to be | |
| | supplied by a Nominated Supplier, the value of such work or articles shall be treated as a | |
| | P.C. Sum and profit and attendance comparable to that contained in the priced Bills of | |
| · · | CGM/PRO/T/38/2019-2020 | |

Quantities for similar items added.

B. NOMINATED SUB-CONTRACTORS

When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts as described in Condition No. 20 of the Conditions of Contract and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".

C. DIRECT CONTRACTS

Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.

D. ATTENDANCE UPON OTHER TRADESMEN, ETC.

The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.

| | Carried to collection | | |
|-------|---|------|--|
| GP/09 | | | |
| ITEM | DESCRIPTION | KSHS | |
| Α. | INSURANCE | | |
| | The Contractor shall insure as required in Conditions Nos. 22 and 23 of the Conditions | | |
| | of Contract. No payment on account of the work executed will be made to the | | |
| | Contractor until he has satisfied the PROJECT MANAGER either by production of an | | |
| | Insurance Policy or and Insurance Certificate that the provision of the foregoing | | |
| | Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER | | |
| | shall from time to time ascertain that premiums are duly paid up by the | | |
| | Contractor who shall if called upon to do so, produce the receipted premium renewals | | |
| | for the PROJECT MANAGER 's inspection. | | |

B. PROVISIONAL WORK

All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER

Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.

C. ALTERATIONS TO BILLS, PRICING, ETC.

Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.

D. BLASTING OPERATIONS

Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.

| Carried to collection |
|-----------------------|
| GP/10 |

| ITEM | DESCRIPTION | KSHS |
|------|--|------|
| A. | MATERIALS ARISING FROM EXCAVATIONS | |
| | Materials of any kind obtained from the excavations shall be the property of the | |
| | Government. Unless the PROJECT MANAGER directs otherwise such materials shall be | |
| | dealt with as provided in the Contract. Such materials shall only be used in the | |
| | works, in substitution of materials which the Contractor would otherwise have had to | |
| | supply with the written permission of the PROJECT MANAGER Should such | |
| | permission be given, the Contractor shall make due allowance for the value of the | |
| | materials so used at a price to be agreed. | |
| | | |
| В. | PROTECTION OF THE WORKS. | |

CGM/PRO/T/38/2019-2020

Provide protection of the whole of the works contained in the Bills of Quantities, including casing , casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.

C. REMOVAL OF RUBBISH ETC.

Removal of rubbish and debris from the Buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.

D. WORKS TO BE DELIVERED UP CLEAN

Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER

E. FIRM PRICE CONTRACT

Unless otherwise specifically stated in the Particular Preliminaries this is a firm price Contract.

| Carried to collection |
|-----------------------|
|-----------------------|

| ITEM | DESCRIPTION | KSHS |
|------|--|------|
| | | |
| Α. | GENERAL SPECIFICATION. | |
| | For the full description of materials and workmanship, method of execution of the work | |
| | and notes for pricing, the Contractor is referred to the Ministry of Roads and Public | |
| | Works and Housing General Specification dated 1976 or any subsequent revision | |
| | thereof which is issued as a separate document, and which shall be allowed in all respects | |
| | unless it conflicts with the General Preliminaries, Trade Preambles or other items in | |
| | these Bills of Quantities. | |
| В. | TRAINING LEVY | |
| | CGM/PRO/T/38/2019-2020 | |

The Contractor's attention is drawn to legal notice No. 237 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value.

C. MATERIALS ON SITE

All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.

D. HOARDING

The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100×50 mm timber posts firmly secured at 1800 mm centres with two 75×50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.

E. CONTRACTOR'S SUPERINTENDENCE/SITE AGENT

The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the PROJECT MANAGER and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract.

Carried to Collection

TIEM DESCRIPTION KSHS

COLLECTION

Brought Forward From Page GP/1

Brought Forward From Page GP/2

Brought Forward From Page GP/3

Brought Forward From Page GP/4

CGM/PRO/T/38/2019-2020

| | Brought Forward From Page GP/5 |
|---|--|
| | Brought Forward From Page GP/6 |
| | Brought Forward From Page GP/7 |
| | Brought Forward From Page GP/8 |
| | Brought Forward From Page GP/9 |
| | Brought Forward From Page GP/ |
| | Brought Forward From Page GP/ |
| | Brought Forward From Page GP/10 |
| | |
| | |
| | |
| | |
| | TOTAL FOR GENERAL PRELIMINARIES CARRIED TO SUMMARY |
| l | GP/13 |
| | |

PARTICULAR PRELIMINARIES

| Item | DESCRIPTION | Kshs. | Cts | |
|------|-------------|-------|-----|--|
|------|-------------|-------|-----|--|

| A | PRICING ITEMS OF PRELIMINARIES | |
|---|--|--|
| | Prices SHALL BE INSERTED against items of "preliminaries" in the tenderer's priced Bills of Quantities. The contractor is advised to read and understand all preliminary items. | |
| В | SCOPE OF THE CONTRACT | |
| | The works to be carried out under this contract is in accordance with the BQ supplied in amplification thereof. | |
| С | DESCRIPTION OF THE WORKS | |
| | The works to be carried out under this contract comprise of General construction Works. The contactor attention is drawn to the very high standard of works and finishes on this project and should deliver nothing than the best | |
| D | MEASUREMENTS | |
| | In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT MANAGER in accordance with Clause 22 of the Conditions of Contract. The discrepancies shall then be treated as a variation and be dealt with in accordance with Clause 22 of the said Conditions. | |
| E | LOCATION OF SITE | |
| | The proposed site is at Coast General Referral and Training Hospital. The Contractor is advised to visit the site, to familiarize with the nature and position of the site. No claims arising from the Contractor's failure to do so will be entertained | |
| | Carried to Collection | |

PP1

| Item | DESCRIPTION | Kshs. | Cts | |
|------|-------------|-------|-----|--|
|------|-------------|-------|-----|--|

A | CLEARING AWAY

The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean and tidy state to the reasonable satisfaction of the PROJECT MANAGER.

The whole of the works shall be delivered up clean, complete and in perfect condition in every respect to the satisfaction of the Project Manager.

B CLAIMS

It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and/or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such claim or intent to claim notice to the PROJECT MANAGER within the contract period. No claims shall be entertained upon the expiry of the said contract period.

C PAYMENTS

The tenderer's attention is drawn to the fact that the **GOVERNMENT SHALL NOT MAKE ADVANCE PAYMENTS** in accordance with SECTION IV – Appendix to the Conditions of Contract Agreement.

D PREVENTION OF ACCIDENT, DAMAGE OR LOSS

The Contractor is notified that these works are to be carried out on a Restricted site where the client is going on with other normal activities. The Contractor is instructed to take reasonable care in the execution of the works as to prevent accidents, damage or loss and disruption of normal activities being carried out by the Client. The Contractor shall allow in his rates any expense he deems necessary by taking such care within the site

Carried to Collection

| Item | DESCRIPTION | Kshs. | Cts |
|------|---|-------|-----|
| A | WORKING CONDITIONS | | |
| | The Contractor shall allow in his rates for any interference that he may encounter in the course of execution of the works for the Client may in some cases ask the Contractor not to proceed with the works until some activities within the site are completed, as the facility will be operating as usual during the course of the contract. | | |
| В | SIGNBOARD | | |
| | Allow for providing, erecting, maintaining throughout the course of the Contract and afterwards clearing away a signboards as designed, specified and approved by the PROJECT MANAGER | | |
| C | LABOUR CAMPS | | |
| | The Contractor shall not be allowed to house labour on site. Allow for transporting workers to and from the site during the tenure of the contract. | | |
| D | MATERIALS FROM DEMOLITIONS | | |
| | Any materials arising from demolitions and not re-used shall become the property of the government. The Contractor shall allow in his rates the cost of transporting the demolished materials | | |
| E | PRICING RATES | | |
| | The tenderer shall include for all costs in executing the whole of the works, including transport, replacing damaged items, fixing, all to comply with the said Conditions of Contract. | | |
| | | | |
| | | | |
| | Carried to Collection | | |
| | Carrieu to Collection | | |

| Item | DESCRIPTION | Kshs. | Cts |
|------|--|-------|-----|
| A | SECURITY | | |
| | The Contractor shall allow for providing adequate security for the works and the workers in the course of execution of this contract. No claim will be entertained from the Contractor for not maintaining adequate security for both the works and workers. | | |
| В | URGENCY OF THE WORKS | | |
| | The Contractor is notified that these "works are urgent" and should be completed within the period stated in these Particular Preliminaries. | | |
| | The Contractor shall allow in his rates for any costs he deems that he/she may incur by having to complete the works within the stipulated contract period. | | |
| С | PAYMENT FOR MATERIALS ON SITE | | |
| | All materials for incorporation in the works must be stored on site before payment is effected, unless specifically exempted by the PROJECT MANAGER This is to include materials of the Contractor, nominated sub-Contractors and nominated suppliers. | | |
| D | EXISTING SERVICES | | |
| | Prior to the commencement of any work, the Contractor is to ascertain from the relevant authority the exact position, depth and level of all existing services in the area and he/she shall make whatever provisions may be required by the authorities concerned for the support, maintenance and protection of such services. FIRM PRICE CONTRACT | | |
| Е | This is a firm price contract and the contractor must allow in his tender rates for any increase in the cost of labour and/or materials during the currency of the contract | | |
| | Carried to Collection | | |

| Item | DESCRIPTION | Kshs. | Cts |
|------|--|-------|-----|
| A | PERFORMANCE BOND | | |
| | A bond of 5% of the contract sum will be required in accordance with clause 6.00 on award of contract of the Instructions to Tenderer's. No payment on account for the works executed will be made to the contractor until he has submitted the Performance Bond to the PROJECT MANAGER duly signed, sealed and stamped from an approved Bank. | | |
| B | TENDER DOCUMENTS | | |
| В | Tender documents are as listed in Clause 2.1 of the Instruction to Tenderer's | | |
| | DELIVERY OF TENDER | | |
| С | Tenders and all documents in connection therewith, as specified above must be delivered in the addressed envelope which should be properly sealed and deposited at the offices as specified in the letter accompanying these documents or as indicated in the advertisement. | | |
| | Tenders will be opened at the time specified in the letter accompanying these Tender Documents or as indicated in the advertisement. Tenders delivered/received later than the above time will not be opened. | | |
| | VALUE ADDED TAX | | |
| D | The contractor shall include in his rates/prices allowances to meet VAT requirements and any other government taxes currently in force. | | |
| | No claim arising from the contractors failure to allow in his rates/prices allowance to meet all government taxes shall be entertained | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | Carried to Collection | | |

| Item | DESCR | IPTION | Kshs. | Cts |
|------|--|--------------------------------------|-------|-----|
| | PARTICULARS OF INSERTIONS TO BE MADE IN APPENDIX TO CONTRACT AGREEMENT | | | |
| | The following are the insertions to be n Agreement: - | nade in the appendix to the Contract | | |
| A | Period of Final Measurement | 3 Months From Practical ompletion | | |
| В | Defects Liability Period | 6 Months from practical ompletion | | |
| С | Date for Possession To be agreed with the employer representative | | | |
| D | Date for Completion 26 weeks from start date | | | |
| E | Liquidated and Ascertained | 20,000 per week or part thereof | | |
| F | Prime cost sums for which the | | | |
| G | The Contractor desires to tender | | | |
| Н | Period of Interim Certificates | Monthly | | |
| I | Period of Honouring Certificates | 30 days | | |
| J | Percentage of Certified Value Retaine | e d 10% | | |
| K | Limit of Retention Fund | 10 % | | |
| | | | | |
| | | Carried to Collection | | |

| Item | DESCRIPTION | Kshs. | Cts |
|------|---|-------|-----|
| | | | |
| | COLLECTION | | |
| A | Brought forward from page PP/1 | | |
| В | Brought forward from page PP/2 | | |
| С | Brought forward from page PP/3 | | |
| D | Brought forward from page PP/4 | | |
| E | Brought forward from page PP/5 | | |
| F | Brought forward from page PP/6 | | |
| G | Brought down from above | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | PARTICULAR PRELIMINARIES CARRIED TO GRAND SUMMARY | | |

PREAMBLES AND PRICING NOTES

A. GENERALLY

All works to be carried out in accordance with Ministry of Public Works general Specifications for Building Works issued in 1976 or as qualified or amended below

B. MANUFACTURERS' NAME

Where manufactures' names and catalogue reference are given for guidance to quality and standard only. Alternative manufacturer of equal quality will be accepted at the discretion of the **project Manager**

C. WALLING

All precast concrete blocks shall be manufactured by the methods and to the sizes specified in the Ministry of Public works "Specification for Metric Sized Concrete Blocks for Building [1972] Walling of 100mm thickness shall be reinforced with hoop irons every alternate course Prices for walling must allow for all costs in preparing, packing and sending sample blocks for testing as and when required by the Project Manager

D. CARPENTRY

The grading rules for cypress shall be the same for podocarpus and all timber used for structural works shall be select [second grade]

All structural timber must conform to the minimum requirements for moisture content and preservative treatment and timber prices must allow for preparing, packing and sending samples for testing when required.

Prices must also include for all nails and fasteners.

A. JOINERY

Cypress for joinery shall be second grade in accordance with the latest grading rules of the Kenya Government

Where mahogany is specified, this refers to prime grade only. The contractor may with approval of the Project Manager; use either Msharagi or Mvuli in lieu of Mahogany but such approval will be given only in the case of shortages of the hardwoods specified.

Plugging shall be carried out by drilling walling or concrete with masonry drill and filling with propriety plugs of the correct sizes. Cutting with hammer and chisel will not be allowed.

Prices for joinery must include for pencil rounded arises, protection against damage, nails, screws, framing and bedding in cement mortar as required.

Sizes given for joinery items are nominal sizes and exact dimensions of doors, etc, must be ascertained on site.

B. IRONMONGERY

Ironmongery shall be specified in the Bills of Quantities or equal and approved.

Prices must include for removing and re-fixing during and after painting, labeling all keys, and for fixing to hardwood, softwood, concrete or block work.

Catalogue references given for ironmongery are for purposes of indicating quality and size of item(s). should the Contractor wish to substitute the specified item(s) with others of equal manufacture, he must inform the Project Manager and obtain in approval in writing.

C. STRUCTURAL STEEL WORK

All structural steelwork shall comply with the Ministry of Public Works "structural steelwork specification (1973) and shall be executed by an approved sub-contractor

A. PLASTERWORK AND OTHER FINISHES

All finishing shall be as described in the general specifications and in these Bills of Quantities. Prices for paving are to include for brushing concrete clean, wetting and coating with cement and sand grout 1:1

Rates for glazed wall tiling are to include for a 12mm cement and sand (1:4) backing screed unless otherwise specified in these Bills of Quantities.

B. GLAZING

Where polished plate glass is specified, this refers to general glazing quality. Prices for glazing shall include for priming of rebates before placing putty.

The contractor will be responsible for replacing any broken or scratched glass and handing over in perfect condition.

C. PAINTING

All paint shall be 1st quality or other and approved

Painting shall be applied in accordance with the manufactures' instructions.

Prices for painting are to include for scaffolding, preparatory work, priming coats, protection of other works and for cleaning up on completion. Prices for painting on galvanized metal are to include for mordant solution as necessary

BUIL DE R'S WORKS

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|----------|----------|------|--------|
| | PROPOSED CATH LAB AT COAST GENERAL TEACHING AND REFERAL HOSPITAL DEMOLITIONS | | | | |
| | An inventory of materials salvaged by the contractor is to be kept. All materials remain property of the client and are to be handed over to him. Should the client permit it the contractor can make application to either purchase the material and pay in cash or to make an allowance for credit at the end of demolitions and alterations sections of this bill. | | | | |
| | Demolitions shall be carefully carried out to secure the specified. Demolition shall include making good any surfaces disturbed and removing all debris from site. | | | | |
| A | Carefully demolish existing masonry wall to create opening | 100 | SM | | |
| В | Carefully hack existing ceramic tiles floor finish complete with the skirting and prepare surfaces for new finish. | 330 | SM | | |
| С | Carefully remove acoustic ceiling including all support system and other accessories, set aside reusable materials as directed by the Project Manager; cart away the arising debris and make good surface to receive new finish. | 300 | SM | | |
| D | Carefully remove existing timber double door shutters complete with all ironmongery; overall size 1800 x 2100mm high. | 10 | | | |
| Е | Ditto; overall size 900mm x 2100mm high. | 10 24 | NO NO | | |
| F | Carefully remove existing window complete with all ironmongery; overall size 1700 x 1100mm high. | 1 | NO | | |
| | TOTAL FOR DEMOLITIONS CARRIED TO SUMMARY | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|-------|------|--------|
| | GROUND FLOOR | | | | |
| | SUBSTRUCTURES(All Provisional) | | | | |
| | SITE PREPARATION Site clearance.excavations | | | | |
| A | Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed | 48 | SM | | |
| В | Excavate over site to remove vegetable soil 200mm average depth, loads, wheel and deposit where directed on site and level | 48 | SM | | |
| С | Excavate for trenches not exceeding 1.50m from stripped level | 9 | СМ | | |
| D | Ditto for column bases not exceeding 1.50m from stripped level | 27 | СМ | | |
| E | Keep all excavations free from all water | | ITEM | | |
| F | Allow for strutting and plunking | | ITEM | | |
| F | Disposal Return, fill and ram extra excavation materials around foundation | 19 | СМ | | |
| G | Cart away surplus excavated materials | 17 | CM | | |
| Н | Filling Average 300mm thick hardcore bed well watered leveled and compacted | 15 | СМ | | |
| I | 50m thick murram blinding | 48 | SM | | |
| J | Insecticide treatment Treat surface of hardcore filing with gladiator TC or other equal approved insecticide according to the manufacture instructions. | 48 | SM | | |
| | Total carried to collection | | 23141 | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | CONCRETE WORKS | | | | |
| A | Plain concrete class 15 (1:4:8) in:- 50mm thick blinding under foundations and bases | 24 | SM | | |
| В | Reinforced concrete class 25 in:- Foundation strip | 3 | СМ | | |
| C | Ground beam | 2 | СМ | | |
| D | Columns and bases | 6 | CM | | |
| Е | 150mm thick floor slab | 48 | SM | | |
| | Reinforcement | | | | |
| | Supply and fix high tensile steel reinforcement bars B.S.4449 to B.S 4461 including cutting, bending, hoisting, tying wire, spacing blocks and support | | | | |
| Е | Assorted bar reinforcement | 990 | KG | | |
| F | B.R.C. Mesh B.R.C. Mesh reinforcement No. A142 | 48 | SM | | |
| G | Sawn formwork to Vertical sides foundation strip | 4 | SM | | |
| Н | Edges of floor slab exceeding 75mm but not exceeding 150mm high | 31 | LM | | |
| I | Vertical sides of column bases | 15 | SM | | |
| J | Vertical sides of columns | 9 | SM | | |
| K | Vertical sides of ground beam | 14 | SM | | |
| | | | | | |
| | | | | | |
| | Total carried to collection | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | <u>Walling</u> | | | | |
| A | Solid coral block walling bedded and jointed in cement and sand mortar 1:3 in:- 200mm thick walling | 21 | SM | | |
| | Damp proofing | | | | |
| В | 200mm wide bituminous felt damp proof course bedded in cement sand mortar 1:4 | 22 | LM | | |
| С | 1000 gauge polythene sheet underlay | 48 | SM | | |
| | Plinth Finishes | | | | |
| D | 12mm thick cement sand (1:3) rendering on plinth walls | 5 | SM | | |
| Е | Prepare and apply three coats first quality Bitumastic paint to plinth walls | 5 | SM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Total carried to collection | | | | |
| | | | | | |
| | Collection | | | | |
| | Brought forward from page BW/2 | | | | |
| | Brought forward from page BW/3 | | | | |
| | Brought forward from above | | | | |
| | TOTAL FOR SUBSTRUCTURE CARRIED TO SUMMARY | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|--------|--|----------|----------|------|--------|
| | SUPERSTRUCTURE | | | | |
| A | Mass Concrete 75mm thick concrete base slab (mix 1:2:4) | 13 | SM | | |
| | Vibrated reinforced concrete class 25 in:- | | | | |
| В | Beams | 4 | CM | | |
| C | Columns | 2 | СМ | | |
| D | 150mm thick suspended slab | 48 | SM | | |
| Е | 100mm thick counter tops | 19 | SM | | |
| F | Reinforcement High Tensile twisted reinforcement bars B.S 4461 as described Assorted bar reinforcement | 1310 | KG | | |
| | Sawn Cypress Timber Formwork as Described. Allow for setting to curve where required, special proping, strutting, fillets, nails, etc to | | | | |
| G | Sides and soffits of beam | 42 | SM | | |
| G | Sides of columns | 28 | SM | | |
| Н | Soffits of suspended floor slab | 48 | SM | | |
| I J | Soffits of counter top Edges of suspended floor slab 75 – 150mm high | 19 23 | SM LM | | |
| K L | Edges of counter top 75 – 150mm high Edges of base slab 75 – 150mm high | 31 21 | LM LM | | |
| | WALLING | | | | |
| | Machine cut coral block walling bedded and jointed in cement and sand mortar 1:3; including 20swg x 25mm wide hoop iron in every course | | | | |
| M | 200mm thick internal walling | 120 | SM | | |
| N | 100mm ditto but solid concrete block to internal walling | 30 | SM | | |
| | TOTAL FOR SUPERSTRUCTURE CARRIED TO SUMMARY | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | ROOF FINISHES | | | | |
| A | 50 mm cement sand 1:3 water proof screed to flat roof slab laid to fall and cross falls | 48 | SM | | |
| В | Apply one coat bituminous primer to surface of screed. | 48 | SM | | |
| С | Supply torch and apply bituminous membrane as per 'sirrah P4' or equal and approved | 48 | SM | | |
| D | 200 x 200 x 25mm thick quarry tiles as miritini clay products or any other approved manufacturer at roof covering bedded and jointed in cement mortar 1:3 and 25mm joint pointed with red cement slurry | 48 | SM | | |
| | Rain Water Goods | | | | |
| F | Extra over for 100mm fulbora roof outlet drains | 4 | NO | | |
| G | 160mm diameter PVC down pipes fixed to wall with holding clips at 1200mm centres | 14 | LM | | |
| Н | Extra over for swan neck 1000mm long | 4 | NO | | |
| I | Extra over for shoe 1000mm long | 4 | NO | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL FOR ROOFING CARRIED TO SUMMARY | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|--------|--|--------|------|------|--------|
| A | DOORS Radiation proof Mvule Timber Doors 50mm thick mvule panelled double door overall size 1800 x 2100m; comprising 2 No. openable leaf size 600 x 2100mm high with 125 x 50mm stiles, middle and top rails, 200 x 50mm bottom rail, complete with 1.5 mm thick unpierced lead lining sheet on both sides. (Refer to Architect's details) | 1 | NO. | | |
| В | Ditto but size 900 x 2100mm | 4 | NO. | | |
| С | Wrot Mvule Timber Doors 50mm thick mvule panelled double swing door overall size 1800 x 2100m; comprising 2 No. openable leaf size 600 x 2100mm high with 125 x 50mm stiles, middle and top rails, 200 x 50mm bottom rail in filled with 6mm frosted glass. (Refer to Architect's details) | 5 | NO. | | |
| D E | Ditto single door overall size 1200 x 2100m Ditto single door overall size 900 x 2100m | 3 9 | NO. | | |
| F | 50mm thick solid core flush door overall size 900 x 2100mm to BS 459, faced both sides with 6mm mahogany veneer and lipped on all edges hardwood, including all planted mouldings. | 6 | NO. | | |
| G | Leaded Timber Mvule Framework 150 x 50 mm frame with two labour twice rebated: plugged complete with 1.5 mm thick unpierced lead lining sheet on both sides | 27 | LM | | |
| Н | 50 x 25mm moulded architrave ditto | 27 | LM | | |
| I | 15 x 15mm quardrant beading ditto | 27 | LM | | |
| G | Timber Mvule Framework 150 x 50 mm frame with two labour twice rebated: plugged | 123 | LM | | |
| Н | 50 x 25mm moulded architrave | 123 | LM | | |
| I | 15 x 15mm quardrant beading | 123 | LM | | |
| | | | | | |

| Total for carried to collection | | | | |
|---------------------------------|--|--|--|--|
|---------------------------------|--|--|--|--|

BW/7

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | Iron Mongery | | | | |
| A | 3-Lever mortise lock complete with locking furniture as 'Union'or equal | 13 | NO | | |
| В | Ditto but rebated | 9 | NO | | |
| С | Pressed steel indicator bolts (vacant/engaged) | 6 | NO | | |
| D | 100mm brass butt hinges | 56 | PRS. | | |
| E | Rubber door stop fixed to floor with rawl bolt | 41 | NO. | | |
| F | 100mm tower bolts | 41 | NO. | | |
| G | 200 mm push plate | 66 | SM | | |
| Н | 200 mm kick plate | 66 | SM | | |
| I | 200 mm aluminum D pull handle | 62 | NO. | | |
| J | Door closer hold open power 2/3 complete with cover | 41 | NO. | | |
| | Prepare and apply one undercoat primer and two finishing first quality emulsion paint to: | | | | |
| K | Surface of woodwork generally | 138 | SM | | |
| L | Ditto not exceeding 150mm girth | 27 | LM | | |
| | Carried Forward To Collection | | | | |
| | Collection Brought forward from page BW/7 | | | | |
| | Brought forward from above | | | | |
| | | | | | |

TOTAL FOR DOORS CARRIED TO SUMMARY

BW/8

| TOTAL A | BW/8 | | | | |
|---------|--|-----|------|------|--------|
| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | WINDOWS Radiation Proof Window | | | | |
| | Supply, assemble and fix lead lined heavy duty anodised aluminium framed windows with frame of a minimum thickness of 1.8mm including all necessary iron mongery and One way protective lead glass for radiation shield; (refer to architects detail) | | | | |
| A | Overall size 2000 x 1500mm high. | 1 | NO | | |
| | Supply, assemble and fix heavy duty anodised aluminium framed sliding windows with frame of a minimum thickness of 1.8mm including all necessary iron mongery and 8mm thick tinted glass fixed with aluminium beadings. Allow for sand blast effect film by as directed (refer to architects detail) | | | | |
| В | Overall size 1700 x 1100mm high. | 3 | NO | | |
| С | Overall size 1700 x 900mm high | 3 | NO | | |
| D | Overall size 2900 x 600mm high | 1 | NO | | |
| E | | | | | |
| | Approved 600 x 275 x 175mm precast concrete window cill bedded and jointed in cement (sand (1:3) mortar | 13 | LM | | |
| F | 200 x 20 mm thick wrot mahogany: prime grade window board. | 13 | LM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

TOTAL FOR WINDOWS CARRIED TO SUMMARY

BW/9

| | BW/9 | 1 | 1 | 1 | |
|------|--|------|------|------|--------|
| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | <u>FINISHES</u> <u>WALL</u> | | | | |
| | <u>FINISHES</u> | | | | |
| | Internal Walls | | | | |
| A | 15mm cement and sand (1:3) plaster trowelled smooth | | | | |
| | and comprising 12mm thick backing and 3mm finishing | 250 | SM | | |
| В | coat. Prepare and apply one undercoat and two coats of | 250 | SWI | | |
| | approved first grade antibacterial emulsion paint to | | | | |
| | plastered surfaces | 1080 | SM | | |
| | | | | | |
| | Cement and sand (1:3) screeds, backings, beds etc | | | | |
| С | 15 mm thick cement and sand backing prepared to receive | | | | |
| | wall tiles | 270 | SM | | |
| | Granitto wall tiles | | | | |
| D | Supply and fix approved Granito wall tiles on prepared backing including grouting and edge protectors where | | | | |
| | required. | 270 | SM | | |
| | FLOOR FINISHES | | 51,1 | | |
| | Cement and sand (1:3) screeds, backings, beds etc | | | | |
| Е | 25mm bed finished to receive epoxy floor finish (m.s) | 101 | SM | | |
| F | 32 mm thick cement and sand backing prepared to receive | | | | |
| | granitto tiles | 270 | SM | | |
| G | Prepare and apply one primer coat and two coats of | | | | |
| | approved two pack self-leveling epoxy floor finish (4mm | | | | |
| | thick) according to manufacturer's instruction | 101 | SM | | |
| | Granitto Floor tiles | | | | |
| Н | Supply and fix approved granitto floor tiles on prepared | | | | |
| | backing including adhesive, grouting and edge protectors where required. | 270 | SM | | |
| | where required. | 270 | SWI | | |
| I | Ditto 100 mm skirting | 98 | LM | | |
| | | | | | |
| | CEILING FINISHES | | | | |
| J | Supply and fix 12 mm thick Gypsum board to wall | | | | |
| | complete with galvanised steel sections, cornice and all necessary accessories to approval | | | | |
| | • | 75 | SM | | |
| K | Ditto 100mm approved fibre cornice | 50 | LM | | |
| L | Prepare and apply approved first quality one undercoat | 40 | | | |
| | and two finishing coats emulsion paint to gypsum board Supply and fix approved suspended acoustic ceilings tiles | 48 | SM | | |
| M | complete with white perimeter grid, aluminium V- | | | | |
| | carriers, panels suspension hangers, flush jointing and trap | 220 | | | |
| | CCM /DDC /T /29 /2010 2020 | 320 | SM | | |

| | doors in matt finish. | | |
|--|-----------------------------|--|--|
| | | | |
| | | | |
| | Total Carried to collection | | |

| | BW/10 | | | | |
|------|---|-----|----------|------|--------|
| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | WORK TOP FINISHES | | | | |
| | Cement and sand (1:3) screeds, backings, beds etc | | | | |
| A | 15mm cement and sand (1:4) plaster trowelled smooth and comprising 12mm thick backing and 3mm finishing coat to counter tops | 19 | SM | | |
| В | 32mm bed finished to receive floor tiles (m.s) | 19 | SM | | |
| | Counter Granite | | | | |
| C | 20 mm thick x 600 mm wide slabs | 19 | SM | | |
| | JOINERY FITTINGS AND FIXTURES | | | | |
| D | Fabricate, supply and fix 50 x 2mm stainless steel railing complete with all the necessary support as directed by the Project Manager | 20 | LM | | |
| | Carried Forward To Collection | | | | |
| | Collection Brought forward from page BW/10 Brought forward from page above | | | | |
| | Brought for ward from page above | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | OOM /PRO /# /20 /0010 0000 | | <u> </u> | J L | |

| TOTAL CARRIED TO SUMMARY | | |
|--------------------------|--|--|
| | | |
| | | |

BW/11

| ITEM | BW/11 | 1 | <u> </u> | 1 | |
|-------|---|-----|----------|------|--------|
| 11EWI | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | PROPOSED CATH LAB AT COAST GENERAL REFERAL AND TRAINING HOSPITAL | | | | |
| | Brought forward from page BW/1- Demolitions and Removals | | | | |
| | Brought forward from page BW/4- Substructure | | | | |
| | Brought forward from page BW/5 - Superstructure | | | | |
| | Brought forward from page BW/6 - Roofing | | | | |
| | Brought forward from page BW/8 - Doors | | | | |
| | Brought forward from page BW/9 - Windows | | | | |
| | Brought forward from page BW/11 - Finishes | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | 1 | | | |

| TOTAL FOR BUILDERS WORKS CARRIED TO | | |
|-------------------------------------|--|--|
| MAIN SUMMARY PAGE | | |

BW/12

SPECIAL NOTES - AIR CONDITIONING WORKS

- 1. The attached Bills of Quantities for part of the contract documents and should be duly filled by the chosen Domestic Sub-contractor who must be registered with the National Construction Authority Air Conditioning works (attach certified copy).
- 2. The brief description of the items given in the bills of quantities are for the purpose of establishing a standard to which the domestic Sub-contractor shall adhere to, otherwise alternative brands of equal and approved equivalent quality will be accepted.
- 3. Should the chosen Domestic Sub-contractor install any material not specified herein before receiving **written approval** from the Project Manager, the **MAIN** contractor shall remove the material in question and **at his own cost**, install proper material.

| Name: | |
|----------------------------------|--|
| Address: | |
| | |
| | |
| NCA registration certificate No: | |
| (attach current certified copy) | |

AC/1

AIR CONDITIONING WORKS

| ITEM | DESCRIPTION | QTY | UNIT | RATE | TOTAL |
|------|--|-----|----------|------|-------|
| | Supply, deliver, install, test and commission the following VRF air conditioning system, all pipework must be thermally insulated and approved material and should be concealed and aestheticaly appealing. All work must comply with international ISO standard or KEBS. | | | | |
| | The contractor must be a manufacturer agent with a letter of authoritization for installation of VRF system | | | | |
| 1 | CONDENSING UNIT (INDEPENDENT UNIT) | 2 | No | | |
| | Type VRF equipment as LG multiv III model as ARUN 280LN3 (ARUN 160LN3, ARUN 120 LN3) or equal and approved other model with the following specification. (i) Cooling capacity = 78.4kw (ii) Power input = 20.5kw (iii)Compressor inverter type (iv) Power supply = 3 phase - 380-415/50 (v)Refrigerant = 410A genetron or Gaico | | | | |
| 2 | INDOOR UNIT | | | | |
| | Ceiling concealed ducted unit all high static blowers (i) 48,000 BTU (ii) 36,000 BTU | 4 2 | No No | | |
| 3 | TEMPERATURE CONTROLLER (i) Wired control with LCD display | 6 | No | | |
| 4 | PLANIUM BOXES | | | | |
| | (i) Air supply planium boxes made from 22 gauge and insulated with 12mm thick high density rubber or Aeroflex or approved equivalent | 6 | No | | |

| Total cost | | | |
|------------|--|--|--|
| | | | |

AC/2

| ITEM | DESCRIPTION | QTY | UNIT | RATE | TOTAL |
|--------|---|------------------------|----------------------------|------|-------|
| 5 | AIR GRILL (i) Supply air grill with powder coated manufacturerd from extrude and aluminium size 1000 x 200mm (ii) Refill air grill same make as above size 1000 x 200mm | 20 20 | No No | | |
| | (iii) Supply air grill the same make as above but size 400 x400 mm | 4 | No | | |
| 6 | (iv) Return air grill as above but size 450 x 450 FLEXIBLE DUCTS | 4 | No | | |
| | (i) 150mm flexible duct for supply of air from the unit to the supply grill | | Item | | |
| 7 | ACCESSORIES | | | | |
| | (i) Y branches for condensing unit | 3 | No | | |
| | (ii) Y branches for indoor unit | 6 | No | | |
| | (iii) Communication cable 1.5 sheathed cable 2core running through 20mm conduit | | Item | | |
| | (iv) Refrigerant piping with 3/4 thick high density insulation heavy gauge copper pipe | | Item | | |
| | (v) Refrigerant for charging 410A (vi) Galvanised trays for refrigerant and condensate pipes size 300 x 75mm G-I gauge 20 | | Item | | |
| | | | Item | | |
| 8 | MECHANICAL VENTILATION | | | | |
| 9 9 | Toilet extractors (i) Inline extract fan 150mm dia as system air or equal and approved with motion sensor interlocked with the fan (ii) White PVC disc value 150mm dia meter (iii)White powder coated extract grill 200mm x 200mm (iv) White powder coated extract grill 200 x 200mm (v) Aluminium rigid duct 150mm BUILDERS WORKS (i) Hacking of holes in the walls for refrigerant piping and make good the effected area (ii) Platform for mounting the condensing unit concrete work to be specified by the Structural Engineer | 8 8 8 4 20 | No No No No Lm | | |
| 10 | Testing and commissioning | | | | |
| | TOTAL FOR AIR CONDITIONING WORKS CARRIED TO | | | | |
| | | | | 1 | 1 |

| MAIN SUMMARY PAGE | | |
|-------------------|--|--|

AC/3

SPECIAL NOTES - MECHANICAL WORKS

- 4. The attached Bills of Quantities for part of the contract documents and should be duly filled by the chosen Domestic Sub-contractor who must be registered with the National Construction Authority Mechanical works (attach certified copy).
- 5. The brief description of the items given in the bills of quantities are for the purpose of establishing a standard to which the domestic Sub-contractor shall adhere to, otherwise alternative brands of equal and approved equivalent quality will be accepted.
- 6. Should the chosen Domestic Sub-contractor install any material not specified herein before receiving **written approval** from the Project Manager, the **MAIN** contractor shall remove the material in question and **at his own cost**, install proper material.

| Name: |
|----------------------------------|
| Address: |
| |
| |
| NCA registration certificate No: |
| |
| attach current certified copy) |

MECHANICAL WORKS

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | SANITARY FITTINGS | | | | |
| | Supply, deliver, install and fix the following sanitary fittings including all materials and jointing to supply wastes/soil and overflow pipes. Twyfords Ltd products are specified only as an indication of quality. Equal and approved appliances may be supplied .Where trade names are mentioned the Ref.No.is intended only as a guide to the type and quality of fittings | | | | |
| A | Low level Water closet suite (S or P trap) in approved colour complete with horizontal outlet to BS 3402 with 7.5 litres valveless close coupled ceramic cistern and fittings including siphone,15 mm diameter side inlet ball valve,20mm diameter side overflow, plastic flush bend, inlet connections, chrome plated lever and heavy plastic set and cover with metal top fixed (CP) hinges. All to be as TWYFORDS Classic water closet or equal approved | 7 | NO | | |
| В | Wash hand basin size 510mmx420mm with two tap holes and chain stay hole, concealed wall brackets, 2 no.chrome plated push type pillar taps as COBRA and chain waste 11/4" and white plastic bottle trap 11/4" P trap all to be as TWYFORD 'SOLA' or equal approved | 3 | NO | | |
| С | Ditto but corner mounted complete with elbow operated pillar tap | 4 | NO | | |
| D | Chrome plated towel rail 650mm long with the rail and brackets as one piece, all as TWYFORDS or equal and approved | 8 | NO | | |
| Е | Concealed shower fitting consisting of 15mm chrome plated riser pipe to connect the concealed shower mixer tap for cold water to the swivel/adjustable shower rose and chrome plated handles and stop corks. All to be as Bricon/Aztec or equal approved | 5 | NO | | |
| F | Automatic hand drier in approved colour, operating on an infrared automatic sensing system with safety cut out c/w plastic rawl plugs and fixing screws. The hand drier to have a heating capacity of 2.1 KW and performance flow rate about 4 cubic metres/minute and to be of size 270x264x143mm deep and to be as MEDICLINICS or approved equivalentt | 4 | NO | | |

| G | Wall mounted automatic soap dispenser with a capacity of about one litre c/w fixing screws. To be as MEDICLINICS or approved equivalent | 8 | NO | |
|---|---|---|----|--|
| | TOTAL CARRIED TO COLLECTION | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| A | Urinal in approved colour vitreous china comprising 2 No bowls c/w bowl support,1 No. division, 7.5 litres automatic ceramic cistern ref CX8611WH and fittings including siphon ball valve, cistern supports and drip trap in brass, CP bottle trap, flush pipe and spreader with all connections. To be as TWYFORDS or approved equivalent | 1 | NO | | |
| | Instantaneous Shower Heater | | | | |
| В | Overhead mounted Instantaneous Shower Heater with 4400 Watts heating element and c/w electric cable. To be as LORENZETTI or equal approved | 5 | NO | | |
| С | Toilet Roll Holder Toilet roll holder in vitreous china or BS3402 in white colour of size 165x165mm and recessed into wall. all as TWYFORDS or equal and approved | 4 | NO | | |
| D | Toilet Brush And Holder Toilet brush and holder in vitreous china or equal and approved | 4 | NO | | |
| E | Robe Hook Robe hook in Satin Aluminium to be mounted by concealed srews to wall wedges. | 8 | NO | | |
| F | Mirrors 6mm thick polished plate glass, silver backed mirror with beveled edges, size 600x500mm plugged and screwed to wall with 4 No. chrome plated dome capped screws and 5mm foam back nest | 4 | NO | | |
| | Sluice | | | | |
| G | Ceramic Hospital Sluice complete with Outlet slop hopper, 11 litre high level cistern c/w fittings and chain, chrome plated flush pipe and holderbat. Fireclay lab sink size 600mm x 400mm x 200mm c/w 38mm CP waste and plug PVC bottle trap and waste pipe. 605mm x 400mm drainer with bottle trap and waste pipe, Lever operated sink taps and other accessories to specifications | 2 | NO | | |
| | Scrub sink | | | | |

| Н | Wall mounted, Triple bay stainless steel Automatic surgical scrub sink size 2400mm wide x 685mm deep x 965mm high and complete with gooseneck spout, soap spout, sensors, automatic mixing valve and all other features for its optimum operation. | 1 | NO | | |
|---|--|---|----|--|---|
| | TOTAL CARRIED TO COLLECTION | | | | ı |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|----------|----------|------|--------|
| | INTERNAL PLUMBING Supply ,deliver and install polypropylene random (PPR) PN-25 Oxy stable pipe work to DIN 8077.Pipe jointing shall be by polyfusion or use of electric coupling. Tenderer must allow for jointing, clippings, couplings, metal/plastic threaded adaptor where required for the connection of sanitary fixtures, valves, sockets, sliding and fixed joints, support raceways, isolating sheaths, elastic materials ,expansion arms and bends ,cross overs etc. where pipework is not chased proper anchoring using approved fixures shall be done. | | | | |
| | PPR PIPE | | | | |
| Α | 20mm diameter PPR pipe | 60 | LM | | |
| В | 15 mm diameter PPR pipe | 80 | LM | | |
| | Extra over PPR pipework | | | | |
| C | Bend 20mm dia PPR | 12 | NO | | |
| С | 15mm dia PPR | 12 12 | NO NO | | |
| | Equal Tees | 12 | NO | | |
| D | 20X20 | 10 | NO | | |
| Ъ | Reducers | | NO | | |
| Е | 20X15mm | 16 | NO | | |
| | Gate valves | | | | |
| | Approved medium pressure screw down full way non-rising stem wedge gate valve to BS 1952 with wheel and head joints to tubing. To be as PEGLAR or equal approved | | | | |
| F | 20mm dia. | 2 | NO | | |
| G | 15mm angle valve | 16 | 110 | | |
| Н | 15mm angle Bib taps | 7 | | | |
| J | 15mm dia.x300mm long flexible tubing | 9 | NO | | |
| K | Arabic Shattaf Bidet spray c/w tube and head and fixing to wall. | 7 | NO | | |
| L | Allow for flushing and sterilization of the system | 1 | ITEM | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|----------|------|--------|
| | INTERNAL DRAINAGE | | | | |
| | Supply and fix uPVC soil system to BS4660 and BS4515 and | | | | |
| | muPVC waste systems to BS5255 with screwed and socketed | | | | |
| | joints to BS21. Solvent welded joints shall be as per the | | | | |
| | systems manufacturers written instructions. Tenderers must | | | | |
| | allow in their pipe work prices for all the couplings, connectors, joints etc as required in the running lengths of the | | | | |
| | pipe work and where necessary for fixing clips, holder bats | | | | |
| | plugged and screwed . all drainage pipes to be as Key Terrain | | | | |
| | or equal approved. Allow for connections to the nearest | | | | |
| | manholes. | | | | |
| | | | | | |
| | uPVC and muPVC pipework | | | | |
| A | 100mm heavy duty golden brown pipe class D | 20 | LM | | |
| С | 38mmditto | 10 | LM | | |
| С | 32mmditto | 30 | LM | | |
| | Exra over Upvc and muPVC pipework | | | | |
| _ | Bends | _ | | | |
| D | 100mm dia. Long radius bend | 4 | NO | | |
| F | 40mm dia. | 4 | NO NO | | |
| F | 32mm dia. | 12 | NO | | |
| G | Tees | 4 | NO | | |
| l d | 32mm dia. Tee and plug Access cap | 4 | NO | | |
| Н | 100mm dia. | 4 | NO | | |
| l ï | 40mm dia | 4 | NO | | |
| - | Traps | - | 1.0 | | |
| J | 100x50mm floor trap and grating | 8 | NO | | |
| K | 300x300mm masonry gully trap c/w m.s cover | 4 | NO | | |
| | Boss connectors | | | | |
| M | 100mm WC connector | 4 | NO | | |
| | 750x600x1000mm deep average masonry man hole complete | | | | |
| N | with medium duty CI man hole cover complete with frame | 4 | NO | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| TOTAL TO COLLECTION | | |
|---------------------|--|--|

| | M/5 | 1 | | | |
|---------------------------------|---|--|----------------------------|------|--------|
| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | Portable fire protection equipment. Supply delivery and installation of portable fire protection equipment: | | | | |
| A | 5kg carbon dioxide gas portable fire extinguisher complete with pressure gauge, initial charge and mounting brackets | 2 | NO | | |
| В | Automatic overhead 9kg dry chemical powder portable extinguisher complete with initial charge and mounting brackets | 2 | NO | | |
| С | 9 litres water/carbon dioxide gas portable fire extinguisher complete with pressure gauge, initial charge and mounting brackets | 2 | NO | | |
| D | 225mm diameter gong manual alarm bell | 2 | NO | | |
| E | Plastic box first aid kits(fire fighting)complete with the following (i)20 individually wrapped sterile adhesive dressing(assorted sizes) (ii)2 sterile eye pads. | 4 | PAIR | | |
| | (iii)4 individually wrapped triangular bandages (iv)6 safety pins (v)6 medium sized individually wrapped sterile unmediated wound dressings(18cm x 18cm) (vi) 1 pair of disposal gloves. | | | | |
| F G H J K L M | INTELIGENT FIRE ALARM SYSTEM 2 - zone Addresable Panel Network Card Back up PSU Inter Phase Unit Addressable Combined Heat & Smoke Detector Addressable Call Point Model HCP-E(SCI) or approved equivalent Addressable Sounder Beacon Model CHQ-WSB2 or approved equivalent Conduiting Fire Resiatant Cabling | 1 1 1 2 20 4 1 ITEM ITEM | NO NO NO NO NO | | |

| Q | Allow a sum of Kshs 20,000.00 for Programming | ITEM | | |
|---|---|------|--|---|
| | TOTAL TO COLLECTION | | | ĺ |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|---|---|---|--|------|--------|
| A | MEDICAL GAS SYSTEM AND BED HEADS Wall mounted bed head unit, 1200mm-600mm long complete with 2 no. electric socket outlet, Medical gas outlets (Oxygen and VAC), general lighting, LED reading lamp, Data/nurse call system, switching system and any other accessory for proper functioning of the unit. The BHU shall be UK made or equal and approved | 6 | NO | | |
| В | Ditto but ceiling suspended/bridge type for the theatre | 1 | NO | | |
| C D E F G H J K L M N | Degreased copper pipe, 15mm CPX Degreased copper pipe, 12mm CPX Copper elbow 15mm CPX Copper elbow 12mm CPX Copper Equal Tee 12mm Copper Coupler 12mm Reducer 15/12mm Reducer Tee 15/12/15mm Isolation Valve 15mm CPX UK MAP Gas Copper to copper rods | 20 40 22 80 10 30 15 10 4 2 2 | LM LM NO NO NO NO PCS PKT | | |

| | TOTAL TO COLLECTION | | |
|--|---------------------|--|--|

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|--------|----------------------------------|-----|------|------|--------|
| | COLLECTION | | | | |
| A | TOTAL FROM M/2 | | | | |
| В | TOTAL FROM M/3 | | | | |
| С | TOTAL FROM M/4 | | | | |
| D | TOTAL FROM M/5 | | | | |
| E F | TOTAL FROM M/6 TOTAL FROM M/7 | | | | |
| l r | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| TOTAL FOR MECHANICAL WORKS CARRIED TO MAIN SUMMARY PAGE | | |
|---|--|--|

SPECIAL NOTES - ELECTRICAL WORKS

- 1. The attached Bills of Quantities for part of the contract documents and should be duly filled by the chosen Domestic Sub-contractor who must be registered with the National Construction Authority Electrical works (attach certified copy).
- 2. The brief description of the items given in the bills of quantities are for the purpose of establishing a standard to which the domestic Sub-contractor shall adhere to, otherwise alternative brands of equal and approved equivalent quality will be accepted.
- 3. Should the chosen Domestic Sub-contractor install any material not specified herein before receiving **written approval** from the Project Manager, the **MAIN** contractor shall remove the material in question and **at his own cost**, install proper material.

| Name: | |
|----------------------------------|--|
| Address: | |
| | |
| | |
| NCA registration certificate No: | |
| (attach current certified copy) | |

ELECTRCAL WORKS

| ITEM | DESCRIPTION <u>ELECTRICAL WORKS</u> | QTY | UNIT | RATE | AMOUNT |
|------|--|--------------|----------------|------|--------|
| | Supply, install, test and commission the following item; | | | | |
| A | Lighting points comprising of 1.5mm2 PVC/SC copper cables drawn in 20mm HG PVC conduits for one way switching | 52 | NO | | |
| В | 5A sparkless switch plate as MEM or approved equivalent i] one gang one way ii] two gang one way iii] three gang one way | 2 10 4 | NO NO NO | | |
| С | Lighting fittings complete with tubes or bulbs i] 1200mm, 36w bare batten fluorescent fitting as PHILIPS or approved equivalent ii)600mm x600mm 40W LED panel fittings III) spherical fittings for toilets | 8 40 9 | NO NO NO | | |
| D | As item [A] above but for ceiling fans | 6 | NO | | |
| Е | Power points comprising of 2.5mm2 PVC/SC copper cables drawn in metal trunking for socket outlets for bedded points | 7 | NO | | |
| F | Power points comprising of 2.5mm2 PVC/SC copper cables drawn in metal trunking for socket outlets for bedded points | 15 | NO | | |
| G | 13A sparkles Switched socket outlets as MEM or approved equivalent | 20 | NO | | |
| | | 6 | NO | | |
| Н | 1400mm ceiling fans as ORIENT DELUXE | | | | |
| J | 200 x 50mm 3 compartment oven baked galvanized Ms cable trunking | 150 | LM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | TOTAL CARRIED TO COLLECTION PAGE | | | | |
|--------|--|-----|----------------|------|--------|
| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
| | Supply, install, test and commission the following item; NURSE CALL SYSTEM | | | | |
| A | Visual Nurse Call System with annunciator panels allowing for displaying from 8 to 24 zones with features including zone lights, Versal Page or AURA 2.0 for hard wired and wireless system. The system shall be installed complete with annunciator Panels indicating incoming calls from any initiation point in the system and LED indicator and tone, Bedside stations with pull cord or push button activated with LED indicator lights and call cancel buttons, Emergency Stations and call cords. The system shall be installed complete with Data/network points at all station points and as Cornell Series 4000 Visual Call System with Customized 4400 Series Panel or equal and aspproved | | ITEM | | |
| | MAIN POWER SUPPLY AND DISTRIBUTION BOARD | | | | |
| В | Main supply cable consisting of 4 x 95mm2 single cable from the main distribution board | | 20-LM | | |
| C D | Distribution board consisting of the following A chamber for 250A 4- pole bus bar, 250A MCCB Main incoming Isolator, 125 MCCB AS the out going for the cath lab machine,100A MCCB for spares-2no. Cable tray for supporting the armoured cable and any other associated cables | | ITEM 50 -LM | | |
| E | 400A MCCB From the main distribution board | | 1- NO | | |
| F | Allow for proper earthing of all the items in the cath lab by use of eart plates and corresponding cables sizes | | SUM | | |
| G | 100A TPN(4pole) isolator for ups | | 1 - NO | | |
| | | | | | |
| | TOTAL FOR CARRIED TO COLLECTION PAGE | | | | |

E/2

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | Supply, install, test and commission the following item; | | | | |
| A | Power comprising of 4 x 10.0mm2 +6.0mm2 PVC/CS cu cables drawn in 50mm HG PVC conduits for ac outdoor units | 40 | LM | | |
| В | Power points comprising of 2.5mm2PVC/SC cu cables drawn in 20mm HG PVC conduits fot indoor air conditioning units | 10 | NO | | |
| С | DP switches | 10 | NO | | |
| | Sub-Total | | | | |
| | COLLECTION PAGE | | | | |
| | Total from page E/1 | | | | |
| | Total from page E/2 | | | | |
| | Total from above | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL FOR ELECTRICAL WORKS CARRIED TO GRAND SUMMARY PAGE | | | | |

| ITEM | DESCRIPTION | QTY | AMOUNT |
|------|--|-----|--------|
| | PROVISIONAL SUMS | | |
| A | Provide a provisional sum of Kshs. One Million and Four Hundred Thousand Kenya Shillings Only (Kshs.1,400,000) for contigency to be used as directed by the project manager | | |
| В | Provide a provisional sum of Three Hundred thousand Kenyan Shillings only (Kshs. 300,000) for project management to be used as directed by the project manager | | |
| С | Provide a provisional sum of One Hundred and Fifty thousand Kenyan Shillings only (Kshs. 150,000) for client team project management to be used as directed by the project manager | | |
| | | | |
| | | | |
| | | | |
| | | | |

| TOTAL PROVISIONAL SUMS CARRIED TO | | |
|-----------------------------------|--|--|
| GRAND SUMMARY | | |

PS

| ITEM | DESCRIPTION | PAGE | FOR CONTRACTOR'S USE | FOR OFFICIAL USE ONLY |
|------|---|-------|----------------------------|--------------------------|
| | GRAND SUMMARY | | | |
| A | GENERAL PRELIMINARIES | GP/13 | | |
| В | PARTICULAR PRELIMINARIES | PP/7 | | |
| С | TOTAL BUILDER'S WORK | BW/12 | | |
| F | AIR CONDITIONING WORKS | AC/3 | | |
| Е | MECHANICAL WORKS | M/8 | | |
| F | ELECTRICAL WORKS | EL/3 | | |
| G | PROVISIONAL SUMS | PS | | |
| | TOTAL TENDER AMOUNT CARRIED TO FORM OF TENDER | | | |

| Amount in wo | rds [Kshs] |
|----------------|------------|
| | |
| Contractor's n | ame |
| ADDRESS | |
| | |
| WITNESS NAM | ME |
| ADDRESS | |
| DATE | |
| SIGNATURE | GSUM |

TENDER EVALUATION CRITERIA

After tender opening, to determine responsiveness the tenders will be evaluated in 3 stages, namely:

- 1. Mandatory Requirements Evaluation.
- 2. Technical Evaluation.
- 3. Financial Evaluation.

DETERMINATION OF RESPONSIVENESS

STAGE 1-MANDATORY REQUIREMENTS EVALUATION

This stage of evaluation shall involve examination of the pre-qualification conditions as set out in the Tender Advertisement Notice or Letter of Invitation to Tender and any other conditions stated in the bid document.

The mandatory requirements for this tender are:-

- 1. Copy of Valid National Constructions Authority registration certificate at least category 6 in building works (NCA-6) with valid NCA practicing licence.
- 2. Valid Bidder security/ Bid bond of at least 2% of the bid price in form of bank guarantee from a reputable bank or PPOA authorized insurance company located in Kenya, valid for at least 120 days from the date of Bidder opening.
- 3. Proof of Business Incorporation or Registration.
- 4. Proof of Tax Payer Registration (PIN /VAT).
- 5. Proof of Valid Tax Compliance.
- 6. Duly filled Tender Form.
- 7. Filled Confidential Business Ouestionnaire
- 8. Filled tender Questionnaire.

The employer may seek further clarification/confirmation if necessary to confirm Authenticity/compliance of any condition of the tender.

The tenderers who do not satisfy any of the above requirements shall be considered Non-Responsive and their tenders will not be evaluated further.

EC/1

CGM/PRO/T/38/2019-2020

STAGE 2 - TECHNICAL EVALUATION

The technical score will consist of 80 points

The tender document shall be examined based on the Instruction to Tenderers which states as follows:

In accordance with clause 1.2 of Instruction to Tenderers, the tenderers will be required to provide evidence for eligibility of the award of the tender by satisfying the employer of their eligibility and adequacy of resources to effectively carry out the subject contract.

PARAMETER MAXIMUM POINTS

The bidders must meet the following criteria, which must be demonstrated by attaching relevant documentary evidence

| i. | Key personnel | 15 |
|-------|--|---------|
| ii. | Contract Completed in the last two (2) years | 30 |
| iii. | Schedules of contractors equipment | 5 |
| iv. | Audited Financial Report for the last 2 years | |
| v. | Evidence of Financial Resources (lines of credit, overdraft etc) | 15 |
| vi. | Name, Address and Telephone of Banks | 5 |
| vii. | Litigation History | 5 |
| viii. | Authority to seek references from the Tenderer's bankers | 5 |
| ix. | Sanctity of the tender document | |
| | · | TOTAL 1 |

TOTAL 100

Only candidates obtaining a score of 70% and above will qualify to proceed to stage 3 – Financial Evaluation

STAGE 3 - FINANCIAL EVALUATION

The Financial score will consist of 20 points

The tender shall be evaluated using the following formula:-

Sf=100xFm/F, in which

Sf is the financial score,

Fm is the lowest price and

F is the price of the proposal under consideration.

COMBINED TECHNICAL AND FINANCIAL SCORES:

 $S = ST \times T\% + SF \times P\%$

Where

S. is the total combined scores of technical and financial scores

St is the technical Score

Sfis the financial Score

T is the weight given to the technical proposal and

P is the weight given to the financial proposal

Note **T** + **P** will be equal to 100% i.e. 80% + 20% = 100%

The firm achieving the highest combined technical and financial score will be recommended for award of this tender.

Preference where allowed in the evaluation of tenders shall not exceed 15%. Special groups with AGPO Certificates i.e. youths; women and persons with disabilities will be considered.

EC/2